


NOVATM Routing



Index

- General Information
- **CNC Machines**
 - Grooving & Sizing
 - Profiling & Chamfering
 - Jointing & Rebating
 - Carving
 - Clamping Systems & Adapters
- **Portable Machines**
 - Index
 - Grooving & Sizing
 - Profiling & Chamfering
 - Jointing & Rebating
 - Carving
 - Drills for Router
 - Corian



FIND 

Index 

Sawing




Cutting




Drilling



Routing




NOVATM Routing



Dimar offers the richest range of profile and straight router bits in the widest range of measurements.

- Router bits for CNC machines made from solid carbide
- Router bits for CNC machines with replaceable knives
- A unique system of router bits – different profile knives that are assembled on a single body
- Router bits for portable machines

All Dimar router bits are produced according to highly sophisticated, accurate, modern processes that do not necessitate any human contact.



Routing



Drilling




Cutting



Sawing

Index



Routing



Drilling




Cutting




Sawing




Index



Routing



Drilling




Cutting



Sawing




Morse Adapter




Straight Adapter

With ER Collet



With Arbor



ISO Adapter


Pull Stub



With ER Collet




With Arbor




HSK Adapter


With ER Collet









With Arbor




ER Collet 32,40




Straight Adapter







Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Clamping
Systems &
Adapters




Solid Carbide Roughing Spiral Three Flute




øD	Code No.		B	L	ød
	Upcut	Downcut			
10	178 632 7	178 932 7	32	80	10
12	178 635 9	178 935 9	32	80	12
	178 638 9	178 938 9	52	100	12
14	178 641 0	178 941 0	52	100	14
16	178 647 0	178 947 0	52	110	16
18	178 651 0	178 951 0	52	120	18
20	178 656 0	178 956 0	52	120	20
	178 658 0	178 958 0	72	135	20


Solid Carbide Chipbreaker Spiral Three Flute




øD	Code No.		B	L	ød
	Upcut	Downcut			
10	178 433 7	178 533 7	42	80	10
12	178 437 9	178 537 9	42	80	12
14	178 439 0	178 539 0	35	80	14
16	178 447 0	178 547 0	55	100	16
	178 448 0	178 548 0	52	110	16
18	178 452 0	178 552 0	55	100	18
	178 451 0	178 551 0	52	120	18
20	178 457 0	178 557 0	55	100	20
	178 456 0	178 556 0	52	120	20



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating





Carving



Clamping
Systems &
Adapters



Multiple Cutting Edge Up & Down Shear Router Cutter



øD	Code No.	B	L	ød	n
22	807 310 H	42	115	25x55mm	28,000
	807 315 H	62	135	25x55mm	28,000

⚠ Also available with 20 mm diameter shank.

Spare Parts:



T.C. Blade
310 121 2
12x12x1.5





Torx screw
193 395 0
M4x8




Torx key
194 101 5
T - 15


Solid Carbide Straight Router Cutter Double Flute




øD	Code No.	B	L	ød
3	so107 001 3	11	60	6
4	so107 004 3	11	60	6
5	so107 007 3	11	60	6
6	so107 010 3	19	60	6
	so107 013 3	25	60	6
8	so107 025 5	25	70	8
10	so107 858 7	30	80	10



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Clamping
Systems &
Adapters




Solid Carbide Double Flute Spiral




øD	Code No.		B	L	ød
	Upcut	Downcut			
3	173 405 0	173 505 0	12	50	3
4	173 410 0	173 510 0	12	55	4
5	173 416 0	173 516 0	20	55	5
6	173 420 3	173 520 3	20	60	6
8	173 426 5	173 526 5	25	60	8
10	173 430 7	173 530 7	25	70	10
	173 432 7	173 532 7	32	70	10
12	173 435 9	173 535 9	32	80	12
	173 437 9	173 537 9	42	90	12
	173 438 9	173 538 9	52	100	12
14	173 439 0	173 539 0	32	90	14
	173 440 0	173 540 0	42	90	14
	173 441 0	173 541 0	52	100	14
16	173 446 0	173 546 0	42	100	16
	173 447 0	173 547 0	52	110	16


Solid Carbide Double Flute Spiral - 8mm Shank




øD	Code No.	B	L	ød
3	173 405 5	12	50	8
4	173 410 5	12	50	8
5	173 415 5	15	50	8
6	173 420 5	20	60	8
8	173 425 5	20	60	8



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving




Clamping
Systems &
Adapters




Solid Carbide Spiral Three Flute




øD	Code No.		B	L	ød
	Upcut	Downcut			
12	173 637 9	173 937 9	42	80	12
	173 638 9	173 938 9	52	100	12
14	173 639 0	173 939 0	35	80	14
	173 670 0	173 970 0	42	100	14
	173 640 0	173 940 0	55	100	14
16	173 641 0	173 941 0	35	80	16
	173 646 0	173 946 0	42	100	16
	173 648 0	173 948 0	52	110	16
18	173 651 0	173 951 0	52	120	18
20	173 656 0	173 956 0	52	120	20
	173 658 0	173 958 0	72	135	20



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating





Carving



Clamping
Systems &
Adapters



Straight Router Cutter



øD	Code No.	B	T.C. blade	L	ød	n
10	807 105 9	20	1	71.5	12	18,000
12	807 111 9	30	2	81.0	12	18,000
16	807 115 0	30	2	81.0	16	18,000
	807 116 0	50	2	101.0	16	18,000
18	807 120 0	30	3	81.5	18	18,000
	807 120 H	30	3	81.5	25	18,000
	807 121 0	50	3	101.5	20	18,000
	807 121 OL	50	3	101.5	20	18,000
20	807 123 0	30	3	81.5	20	18,000
	807 125 0	50	3	101.5	20	18,000
	807 125 H	50	3	101.5	25	18,000
	807 125 HL	50	3	101.5	25	18,000
18	807 121 H	50	3	101.5	25	18,000
	807 121 HL	50	3	101.5	25	18,000

⚠ L=Left Hand Rotation

Spare parts:



T.C. Blade



Allen screw




Torx key


B= 20 #310 751 0 #193 036 0 #194102 0
 20x5.5x1.1 M3x5 S1.5

B= 30 #310 751 1
 30x5.5x1.1


B= 50 #310 751 3
 50x5.5x1.1



Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating





Carving



Clamping
Systems &
Adapters



Straight Router Cutter



øD	Code No.	B	T.C. Blade	L	ød	n
12	107 350 H	30	1	10	25x55	18,000
14	107 354 H	30	1	105	25x55	18,000
	L107 354 H	50	2	125	25x55	18,000
15	107 355 H	30	1	105	25x55	18,000
	107 356 H	50	2	125	25x55	18,000
16	107 358 H	30	3	105	25x55	18,000
	107 360 H	50	4	125	25x55	18,000

⚠ Also available with 20mm diameter shanks.

Spare Parts:



T.C. Blade 1
310 793 0
30x9x1.5



T.C. Blade 2
310 723 0
30x12x1.5



T.C. Blade 3
310 722 0
50x9x1.5




T.C. Blade 4
310 725 0
50x12x1.5




Torx screw
193 354 8
M3.5x6




Torx key
194 101 5
T15




Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Clamping
Systems &
Adapters



Straight Router Cutter with Plunge Center Tip



øD	Code No.	B	L	ød	n
16	107 373 H *	30	105	25x55	18,000
	107 374 H *	50	125	25x55	18,000
18	107 375 H	30	105	25x55	18,000
	107 376 H	50	125	25x55	18,000
20	107 377 H	30	105	25x55	18,000
	107 398 H	50	125	25x55	18,000
25	107 378 H	30	105	25x55	18,000
	107 399 H	50	125	25x55	18,000

⚠ * Brazed center tip
Also available with 20 mm diameter shank.

Spare Parts:



T.C. Blade
310 723 0
30x12x1.5



T.C. Blade
310 725 0
50x12x1.5



Torx screw
193 395 0
M4x0.8



Torx screw
193 354 8
M3.5x0.6



Torx key
194 101 5
T15

B=30



T.C. Blade

B=50




T.C. Blade


D=18 310 752 6 310 752 3
7.5x12x1.5 7.5x12x1.5

D=20 310 752 6 310 751 2
7.5x12x1.6 7.5x12x1.5


D=25 310 752 3 310 751 2
7.5x12x1.6 7.5x12x1.5



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving




Clamping
Systems &
Adapters




Solid Carbide Up & Down Spiral Single Flute




$\varnothing D$	Code No.	B	L	$\varnothing d$
6	174 220 3	20	60	6
8	174 227 5	25	70	8
10	174 233 7	32	80	10
	174 235 9	32	80	12
12	174 237 9	42	90	12
	174 238 9	52	100	12



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Clamping
Systems &
Adapters




Solid Carbide Up & Down Spiral Double Flute



øD	Code No.	B	B1	L	ød
6	174 320 3	20	6	60	6
8	174 327 5	25	7	70	8
10	174 333 7	32	8	80	10
12	174 335 9	32	8	80	12
	174 337 9	42	13	90	12
14	174 342 0	52	14	100	14
16	174 348 0	52	14	110	16
18	174 351 0	52	14	120	18
20	174 356 0	52	14	120	20
	174 358 0	72	20	135	20

Straight Up & Down Shear Router Cutter



øD	Code No.	B	L	ød	n
20	807 320 H	30	110	25x55	18,000
	807 322 H	50	130	25x55	18,000

⚠ Also available with 20 mm diameter shank.

Spare Parts:



T.C. Blade
300 771 6
16x7x1.5




T.C. Blade
300 772 8
28x7x1.5




Torx screw
193 400 0
M3x4




Torx key
194 110 0
T - 9



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating





Carving



Clamping
Systems &
Adapters





Spiral Cutter for Lock Case



øD	Code No.	B1	B2	L	ød	n
14	178 640 0	45	95	150	14	18,000
16	178 646 0	45	115	170	16	18,000
18	178 652 0	45	115	170	18	18,000

Router Cutter for Lock Case



øD	Code No.	B1	B2	L	ød	n
14	807 360 0	16	95	150	20	18,000
16	807 365 0	16	115	170	20	18,000
18	807 370 0	16	115	170	20	18,000

⚠ Also available with Ø16 shank.

Spare Parts:



T.C. Blade
310 771 6
16x7x1.5




T.C. Blade
310 772 6
16x7x1.5




Torx screw
193 400 0
M3x4




Torx key
194 110 0
T - 9



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating





Carving



Clamping
Systems &
Adapters



Adjustable Grooving 4-15.5mm Cutter



øD	Code No.	B	L	ød	n
120	822 050 H	4-15.5	120	25	12,000

⚠ Also available with HSK or ISO adapters.

Spare Parts:



T.C. Blade
310 751 2
7.5x12x1.5



Wedge
199 031 0
L=6.5



Allen screw
193 060 0
M5x16



T.C. Blade
300 850 1
18x18x2



T.C. Blade
300 850 2
14x14x1.2



T.C. Blade Nut
#192 350 0
M4x0.5x11.1



T.C. Blade Nut
#192 360 0
M4x0.5x9.9



Torx screw
193 028 0
M4x3.2



Washer set
192 619 0
B=11.5



Arbor
190 830 H
L=100



Washer
196 380 1
45x26.7



Cover
199 730 1
D=50




Arbor screw
193 608 0
M5x20




Allen key
194 008 0
S2.3




Torx key
194 110 0
T9



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating





Carving



Clamping
Systems &
Adapters





Sawblades for Cutting and Grooving



øD	B	Code No.	Teeth	c	ød
125	3	9010 210 4	24	2.0	22
	4	9010 215 4	24	2.8	22
	5	9010 216 4	24	3.5	22
150	3	9010 220 3	24	2.0	20
	4	9010 223 3	24	2.8	20
	5	9010 224 3	24	3.5	20
180	3	9010 230 3	30	2.0	20
	4	9010 230 4	30	2.8	20
	5	9010 233 3	30	3.5	20

⚠ All the blades are available with a variety of bores and brake holes as per individual order.

Rough Rebating Router Cutter



øD	Code No.	B	L	ød	n
50	807 350 H	56	113	25x55	24,000
	807 355 H	78	135	25x55	24,000

⚠ Also available with 20 mm diameter shank.

Spare Parts:




T.C. Blade
310 121 2
12x12x1.5




Torx screw
193 148 2
M4x0.7




Torx key
194 101 5
T - 15



Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating





Carving



Clamping
Systems &
Adapters



Multi Purpose Profile Router Cutter



øD	B	Code No.	Profile	L	ød	n
50	60	853 001 H	Special	120	25x55	18,000
	60	853 011 H	1	120	25x55	18,000
	60	853 012 H	2	120	25x55	18,000

⚠ Also available with 20 mm diameter shank.

Spare parts:



T.C. Blade



Torx screw




Torx key


Profile 1 #315 300 1 54x20x2 #193 395 0 M4x8 #194106 0 T-20

Profile 2 #315 300 2 54x20x2


Profile 1




Profile 2




The router bit will be supplied with standard profiles or with knives grinded according to customer specification that fit into the marked area.






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Clamping
Systems &
Adapters



Adjustable Bevel Router Cutter



$\varnothing D$	a	Code No.	B	L	$\varnothing d$	n
85	-45° → +90°	854 001 0	40	100	25	12,000

- ⚠ Fast tuning angle of 7.5° step.
Fine tuning angle of 1°.
Also available with 20 mm diameter shankl.

Spare Parts:



T.C. Blade
300 052 8
40x12x1.5



Wedge
199 082 0
L=48



Locking wedge
199 043 1
25x12



Allen screw
193 049 4
M6x8




Allen screw
193 075 2
M5x16




Allen key
194 003 5
S-3




Allen key
194 003 6
S-4






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating





Carving



Clamping
Systems &
Adapters



Rounding and Chamfering Router Cutter Set



øD	R	Code No.	B	L	ød	n
90	3	852 413 H	18-58	186	25x55	10,000
	4	852 414 H	18-58	186	25x55	10,000
	5	852 415 H	18-58	186	25x55	10,000
	6	852 416 H	18-58	186	25x55	10,000
	8	852 418 H	20-60	186	25x55	10,000
	10	852 420 H	22-62	186	25x55	10,000
	45°	852 421 H	12-62	186	25x55	10,000
Set No.	3-10 & 45°	852 410 H				

⚠ Also available with HSK or ISO adapters
No shims needed to adjust.
Also available with 20mm diameter shark.

Spare parts:

T.C. Blade Top	T.C. Blade Bottom	T.C. Blade	Torx screw	Arbor	Allen screw	Allen screw	Torx key	Torx key
#310 896 3	#310 896 3L	#300 053 1 60x12x1.5	#193 395 0 M4x6	190 810 H L=186	193 608 0 M5x20	193 076 0 M6x12	194 003 6 S4	194 101 5 T15

R3 #310 896 3 #310 896 3L

R4 #310 896 4 #310 896 4L


R5 #310 896 5 #310 896 5L


R6 #310 896 6 #310 896 6L

R8 #310 896 8 #310 896 8L


R10 #310 897 0 #310 897 0L

45° #310 300 1 #310 300 1L






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Clamping
Systems &
Adapters



Multi Profile Router Cutter



øD	Code No.	B	L	ød	n
80	856 002 0	40	100	25	18,000

⚠ Also available with 20mm diameter shank.

Spare Parts:



Special
profile



Wedge
199 022 0
40x13.5x8



Supporting plate
199 110 0
40x26x4



Allen screw
193 040 0
M8x10




Allen key
194 003 6
S-4

The router will be supplied with knives grinded according to customer specification that fit into the marked area.


For every new profile, 2 supporting plates need to be ordered.


Available profile area

Profile sample fit




Scale - 1:1






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Clamping
Systems &
Adapters



Multi Profile Router Cutter



øD	Code No.	B	L	ød	n
80	856 001 0	40	100	25	18,000

! Also available with 20mm diameter shank.

Spare Parts:



Special
profile



Wedge
199 050 0
28x7.2x8



Supporting plate
199 110 0
40x26x4



Allen screw
193 049 0
M5x10




Allen key
194 008 0
S2.5


The router will be supplied with knives grinded according to customer specification that fit into the marked area.


For every new profile, 2 supporting plates need to be ordered.

Available profile area
Profile sample fit




Scale - 1:1






Grooving
& Sizing



Profiling &
Chamfering






Jointing &
Rebating





Carving



Clamping
Systems &
Adapters



Multi Profile Raised Panel Router Cutter



øD	Code No. Without trimmer	Profile No.	L	ød	n
112	822 031 H	1	110	25	12,000
	822 032 H	2	110	25	12,000
	822 033 H	3	110	25	12,000
	822 034 H	4	110	25	12,000
	822 035 H	5	110	25	12,000
	822 036 H	6	110	25	12,000
	822 037 H	7	110	25	12,000
	822 038 H	8	110	25	12,000

Available with or without trimmer bit "807 301 5"
Also available with 20mm diameter shank.

Spare parts:



T.C. Blade



Torx screw



Allen screw



Allen key

Profile 1 #352 220 1 #193 148 2 #193 039 5 #194 020 0
M4x5.6 M4x5 S2

Profile 2 #352 220 2
50x30.5x2

Profile 3 #352 220 3
50x30.5x2

Profile 4 #352 220 4
50x30.5x2


Profile 5 #352 220 5
50x30.5x2

Profile 6 #352 220 6
50x30.5x2


Profile 7 #352 220 7
50x30.5x2

Profile 8 #352 220 8
50x30.5x2


01




02




03




04




05




06



07



08



Trimmer Bit

øD1	Code No	B	L	ød
18	807 301 5	12	31.8	8

Spare Parts:





T.C. Blade
310 121 2
12x12x1.5




Torx screw
193 148 2
M4x5.6




Torx key
194 101 5
T15






Grooving
& Sizing



Profiling &
Chamfering





**Jointing &
Rebating**




Carving



Clamping
Systems &
Adapters



Straight Rebater Router Cutter with Scorers



øD	Code No.	B	L	ød	n
40	807 330 H	30	100	25x55	18,000
	807 332 H	50	120	25x55	18,000
60	807 335 H	30	100	25x55	18,000
	807 337 H	50	120	25x55	18,000

⚠ Also available with 20mm diameter Shank.

Spare Parts:



T.C. Blade
310 123 0
30x12x1.5



T.C. Blade
310 125 0
50x12x1.5



T.C. Blade
300 850 3
14x14x2




Torx screw
193 148 2
M4x0.7




Torx key
194 101 5
T - 15




Torx key
194 106 0
T - 20



Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Clamping
Systems &
Adapters



Planning and Rebating Router Cutter



øD	Code No.	B	L	ød	n
80	807 340 H	12	90	25x55	18,000

⚠ Also available with 20 mm diameter shank.

Spare Parts:



T.C. Blade
310 121 2
12x12x1.5



T.C. Blade
300 850 3
14x14x1.5



Torx screw
193 395 0
M4x8



Torx screw
193 370 0
M5x6.3





Torx key
194 101 5
T - 15



Torx key
194 106 0
T - 20

Finger Joint Router Cutter



øD	Code No.	B	L	ød	n
70	856 011 0	40	100	25	12,000

⚠ Also available with 20 mm diameter shank.

Spare Parts:



T.C. Blade
315 650 2
40x28x1.5



Supporting plate
199 110 1
40x22.5x4




Allen screw
193 040 0
M8x10




Wedge
199 022 0
40x13.5x8




Allen key
194 003 6
S-4






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating





Carving



Clamping
Systems &
Adapters



Counter - Profile Cutters Set



Set.No.	øD	Code No.	Cutters	B	Wood Sample Type	L	n
Set 1	120	842 021 H	1,2,3,4	20-35	1, 2	135	12,000
Set 2	120	842 022 H	1,2,3,4,5	20-35	1, 2, 3	125	12,000

⚠ Also available with HSK or ISO adapters.

Spare Parts:



Arbor

#190 820 H
L=135



Spacer

#196 360 0
5x45



Spacer

#196 365 0
10x45



Spacer

#196 370 0
13x45



Cover

#199 720 3
12x45



Arbor screw

#193 360 0
M5x20



Stopper screw

#193 042 0
M6x16





Allen key

#194 015 0
S4

øD	B	Code No.	Cutter No.	Profile	z	ød
120	16	842 011 3	1	1,2,3,4	2	20
120	16	842 111 3		1	2	20
120	16	842 211 3		2	2	20
120	16	842 311 3		3	2	20
120	16	842 411 3		4	2	20
120	5	842 012 3	2		4	20
120	15	842 013 3	3		2	20
88	15	842 014 3	4		2	20
120	16	842 015 3	5	1,2,3,4	2	20
120	16	842 115 3		1	2	20
120	16	842 215 3		2	2	20
120	16	842 315 3		3	2	20
120	16	842 415 3		4	2	20

Profiles for Cutters 1 & 5






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating



Carving







Clamping
Systems &
Adapters




Counter - Profile Cutters Set


Spare parts:

Cutter 1								
	T.C. Blade Profile 1 #311 752 0 15.7x30x2	T.C. Blade Profile 2 #311 752 1 15.7x30x2	T.C. Blade Profile 3 #311 752 2 15.7x30x2	T.C. Blade Profile 4 #311 752 3 15.7x30x2	Wedge #199 032 6 L=14	Allen screw #193 026 5 M6x16	Stopper screw #193 148 2 M4x6	Allen key #1940035 S3
Cutter 2								
	T.C. Blade #300 850 4 18x18x2.5	T.C. Blade #300 850 2 14x14x1.2	T.C. Blade nut #192 360 0 M4*0.5D=9.9	T.C. Blade nut #192 350 0 M4*0.5D=11.9	Allen screw #193 030 0 M4x4	Allen key #194 110 0 T9		
Cutter 3								
	T.C. Blade #311 451 2 14.3x12x1.5	Wedge #199 038 5 L=13.5	Allen screw #193 026 5 M6x16	Allen key #194 003 5 S3				
Cutter 4								
	T.C. Blade #300 052 7 15x12x1.5	Wedge #199 038 5 L=13.5	Allen screw #193 026 5 M6x16	Allen key #194 003 5 S3				
Cutter 5								
	T.C. Blade #311 752 0 L 15.7x30x2	T.C. Blade #311 752 1 L 15.7x30x2	T.C. Blade #311 752 2 L 15.7x30x2	T.C. Blade #311 752 3 L 15.7x30x2	Wedge #199 032 6 L=14	Allen screw #193 026 5 M6x16	Stopper screw #193 148 2 M4x6	Allen key #1940035 S3






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Clamping
Systems &
Adapters



Multi-Face Profile Router Cutter



øD	a	R	Code No.	Profile	ød	L	n
29.5			808 011 0	Customer design	20	82.5	28,000
	45		808 051 0	B51	20	82.5	28,000
	30		808 052 0	B52	20	82.5	28,000
		6.3	808 053 0	B53	20	82.5	28,000
		12.5	808 054 0	B54	20	82.5	28,000
		4.0	808 055 0	B55	20	82.5	28,000

! The router will be supplied with standard profiles or with knives grinded according to customer specification that fit into the marked area.

Spare Parts:



B51 T.C. Blade
351 051 0
31x25x2



Wedge
199 050 0
L=28



Allen Screw
#193 049 0
M5x10









Allen key
#194 008 0
S2.5


B52 T.C. Blade
351 050 5
31x25x2

B53 T.C. Blade
351 060 5
31x24x2


B54 T.C. Blade
351 061 0
31x24x2

B55 T.C. Blade
351 310 5
31x24x2






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating





Carving



Clamping
Systems &
Adapters





Solid Carbide Grooving and Engraving




øD	a	Code No.	B	L	ød
8	60°	so105 315 5	7	70	8


Solid Carbide Radius Grooving




øD	r	Code No.	B	L	ød
6	3	so106 304 3	9	60	6
8	4	so106 308 5	11	70	8
10	5	so106 309 7	13	80	10



Grooving
& Sizing



Profiling &
Chamfering






Jointing &
Rebating



Carving




Clamping
Systems &
Adapters




Straight Adapter for Er Collets

Code No.	Adapter standard	øD	B	ød	Collet standard
642 006		50	55	20	ER32
642 007		50	55	25	ER32




Morse Adapter for Er 32 Collet

Code No.	Adapter standard	øD	B	Collet standard
642 005	M2	50	60	ER32




ISO Tool Holder with Pull Stud for Morbidelli Machines

Code No.	Adapter standard	øD	B	Collet standard
641 010	ISO 30	50	55	ER32




ISO Tool Holder

Code No.	Adapter standard	øD	B	Collet standard
641 011	ISO 30	50	50	ER32
641 012	ISO 30	63	50	ER40
641 021	ISO 40	50	50	ER32
641 019	ISO 40	63	50	ER40




HSK Tool Holder

Code No.	Adapter standard	øD	B	Collet standard
641 031	HSK63	50	76	ER32
641 030	HSK63	63	76	ER40




ISO30 Tool Holder with Arbor for Morbidelli Machines

Code No.	Adapter standard	øD	B	L
643 011	ISO 30	30	35	70
643 012	ISO 30	30	35	100




ISO Tool Holder with Arbor

Code No.	Adapter standard	øD	B	L
643 020	ISO 30	30	35	70
643 021	ISO 30	30	35	100




HSK Tool Holder with An Arbor


Code No.	Adapter standard	øD	B	L
643 001	HSK63	30	33	70
643 002	HSK63	30	33	100



Grooving
& Sizing



Profiling &
Chamfering






Jointing &
Rebating




Carving




Clamping
Systems &
Adapters




Pullstud for Machines




For machines	Adapter	Code No.	øD1	øD	L	G
Morbidell, SCM	ISO 30	650 010	8.5	6.5	22	M10




Busellato, weeke, bulleri, maka,	ISO 30	650 010	13	9	24	m12
Cosmec, reichenbacher	ISO 40	650 020	19	14	26	m16




Alberti, vitap, masterwood	ISO 30	650 013	13	9	24	m12
----------------------------	--------	---------	----	---	----	-----




Esseteam	ISO 30	650 014	12	8	24	M12
----------	--------	---------	----	---	----	-----




CMS	ISO 30	650 015	12.8	9	24	M12
-----	--------	---------	------	---	----	-----




Belotti	ISO 30	650 016	13	9	23	M12
---------	--------	---------	----	---	----	-----




Biesse	ISO 30	650 017	12	8	24	M12
--------	--------	---------	----	---	----	-----




Biesse Masterwood	ISO 30	650 018	12	8	24	M12
-------------------	--------	---------	----	---	----	-----




Komo	BT 30	650 030	13	9	24	M12
------	-------	---------	----	---	----	-----




Shoda (BT30-BT40), heian (BT35)	BT 30	650 031	11	7	23	M12
BT 35		650 040	13	8.5	28	M12
BT 40		650 050	15	10	35	M16






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Clamping
Systems &
Adapters




Collets for ER32 Nut




øD	Code No.
2-3	615 040
3-4	615 041
4-5	615 042
5-6	615 043
6-7	615 044
7-8	615 012
8-9	615 046
9-10	615 010
10-11	615 048
11-12	615 049
12-13	615 009
13-14	615 051
14-15	615 008
15-16	615 053
16-17	615 054
17-18	615 055
18-19	615 056
19-20	615 011
Complete set for ER32 collets	615 090

Collets for ER40 Nut




øD	Code No.
3-4	615 060
4-5	615 061
5-6	615 062
6-7	615 063
7-8	615 064
8-9	615 065
9-10	615 007
10-11	615 031
11-12	615 032
12-13	615 006
13-14	615 070
14-15	615 005
15-16	615 030
16-17	615 073
17-18	615 074
18-19	615 004
19-20	615 003
20-21	615 077
21-22	615 078
22-23	615 079
23-24	615 080
24-25	615 002
25-26	615 001
Complete set for ER40 collets	615 091

Key



øD	Code. No.
For ER32 nut	631 004
For ER40 nut	631 003

Tightening device



øD	Code No.
For ISO30 tool holder	642 001
For ISO40 tool holder	642 002
For HSK63 tool holder	642 003

Solid Carbide Spirals



Index

Sawing




Cutting



Drilling






Routing



4.30





Grooving
& Sizing

Profiling &
Chamfering

Jointing &
Rebating

Carving

Corian

#1010 p.23	#1010 p.23	#1010 p.24	#101 p.24	#1011 p.24	#1019 p.22	#1020 p.37	#1020 p.37	#1020 p.38	#1030 p.25	#1040 p.89	#1040 p.89	#1041 p.27	#1042 p.90	#1043 p.27	#105 p.25

#1053 p.104	#1053 p.104	#1050 p.26	#1060 p.39	#1060 p.39	#106 p.40	#1062 p.41	#1063 p.104	#1066 p.46	#107 p.16	#107 p.9	#107 p.4-6	#107 p.16	#107 p.17	#107 p.12-13	#1072 p.17



#1073 p.7	#1073 p.8	#1073 p.13-15	#1073 p.21	#so107 p.16	#1078 p.27	#1080 p.94	#1082-3 p.93	#1084 p.95	#1084 p.96	#1089 p.97	#1089 p.97	#1090 p.48

#1092 p.51	#1092 p.80	#1093 p.50	#1722 p.52	#1100 p.25	#1110 p.21	#1120 p.53	#1130 p.54	#1133 p.53	#1140 p.87	#1141 p.28	#1141 p.18	#1144 p.87	#1146 p.88




#1150 p.26	#1160 p.36	#1170 p.41	#1171 p.41	#1173 p.44	#118 p.36	#1190 p.49-50	#1200 p.54	#1210 p.58	#1220 p.83	#1221 p.83	#1222 p.83

#1223 p.84	#1224 p.85	#1224 p.85	#1224 p.86	#1224 p.86	#1229 p.84	#1229 p.84	#1229 p.85	#1230 p.83	#1241 p.59	#1240 p.60	#124 p.61	#1242 p.61	#1243 p.60

#1243 p.63	#1260 p.19	#1243 p.64	#1243 p.64	#1243 p.68	#1244 p.59	#1250 p.19	#1260 p.20	#1260 p.20	#1270 p.43	#1280 p.43	#1290 p.82	#1291 p.82	#1300 p.44	#1310 p.44



NOVA Routing - Portable Machines



Grooving
& Sizing

Profiling &
Chamfering

Jointing &
Rebating

Carving

Corian

#1312 p.45	#1320 p.66	#1320 p.66	#1330 p.98	#1340 p.54	#1350 p.57	#1352 p.45	#1360 p.55	#1363 p.55	#1370 p.46	#1373 p.42	#1373 p.42	#1373 p.42

#1380 p.56	#1390 p.58	#1400 p.57	#1410 p.37	#1420 p.100	#1430 p.100	#1432 p.101	#1434 p.99	#1433 p.99




#1440 p.102	#1450 p.102	#1450 p.103	#1450 p.103	#1450 p.103	#1460 p.47	#1460 p.47	#1460 p.47	#1470 p.46	#1480 p.66	#1480 p.65



#149 p.67	#1490 p.90	#1490 p.91	#1490 p.91	#1490 p.91	#1560 p.56	#1560 p.67	#1560 p.68	#1560 p.69	#1560 p.69	#1560 p.70	#1560 p.70	#1560 p.72

#1560 p.73	#1560 p.74	#1560 p.75	#1560 p.71	#1560 p.75	#1560 p.76	#1560 p.77	#1560 p.78	#1560 p.78	#1560 p.79	#1560 p.79	#1563 p.69	#1563 p.70	#1563 p.71	#1563 p.71

#1563 p.73	#1563 p.72	#1563 p.74	#1566 p.68	#1566 p.75	#1570 p.58	#1582 p.62	#1583 p.62	#1584 p.63	#1620 p.65	#1622 p.65	#1623 p.64	#1630 p.80	#1630 p.80	#1630 p.81

#1640 p.18	#1650 p.76	#1650 p.81	#1650 p.81	#1650 p.82	#1660 p.77	#1670 p.90	#1681 p.92	#1682 p.92	#2034 p.105





Routing



Drilling



Cutting




Sawing

Index



5.3





A new generation of extended life straight bits

- New advanced automatic grinding technology that improves the carbides' resistance to wear.
- New generation of high wear outstanding carbide.
- New superior geometric design.
- Clean cut
- 200% longer life time even when working with abrasive materials
- Cost effective




Standard Straight Bit




Starting Point

100%


+200%




Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Straight Bit




øD	B	Code No.	L	ød
4.0	11	107 004 9 *	63	12
5.0	11	107 007 9 *	60	12
6.0	19	107 010 9 *	64	12
7.0	19	107 016 9	63	12
8.0	19	107 022 9	63	12
	25	107 025 9	69	12
	19	107 028 9	63	12
10.0	25	107 031 9	69	12
	32	107 034 9	76	12
	25	107 046 9	66	12
12.0	32	107 049 9	73	12
	38	107 052 9	79	12
	51	107 055 9	108	12
13.5	32	107 057 9	73	12
14.0	25	107 061 9	66	12
15.0	19	107 065 9	60	12
	25	107 064 9	66	12
	25	107 070 9	66	12
16.0	32	107 073 9	73	12
	38	107 076 9	79	12
16.7	32	107 077 9	73	12
17.0	32	107 075 9	73	12
	25	107 084 9	66	12
18.0	32	107 085 9	73	12
	51	107 082 9	92	12
19.0	25	107 091 9	66	12
	32	107 094 9	73	12
	38	107 097 9	79	12
19.8	32	107 099 9	73	12
	25	107 103 9	66	12
20.0	32	107 106 9	73	12
	51	107 098 9	92	12
22.0	25	107 112 9	66	12
	32	107 115 9	73	12
	51	107 120 9	92	12
24.0	19	107 119 9	60	12
	25	107 121 9	66	12
25.0	32	107 124 9	73	12
	38	107 127 9	79	12
26.0	25	107 132 9	66	12
27.0	32	107 128 9	73	12
28.0	25	107 134 9	66	12
28.6	32	107 129 9	73	12
30.0	25	107 130 9	66	12
	32	107 133 9	73	12
35.0	25	107 136 9	66	12
	32	107 139 9	73	12
40.0	25	107 142 9	66	12
	32	107 145 9	73	12
51.0	32	107 195 9	73	12




* Solid Carbide

Can be supplied with 1/2" shank.




5.5






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian




Straight Bit




øD	B	Code No.	L	ød
6.3	12.7	107 509 9 *	57.0	12
	19.0	107 510 9 *	63.5	12
6.3	25.4	107 513 9	70.0	12
	19.0	107 522 9	63.5	12
8.0	25.4	107 525 9	70.0	12
	19.0	107 528 9	63.5	12
9.5	25.4	107 531 9	70.0	12
	31.7	107 534 9	76.2	12
11.1	25.4	107 540 9	70.0	12
	31.7	107 542 9	76.2	12
12.7	25.4	107 546 9	66.7	12
	31.7	107 549 9	73.0	12
	31.7	L 107 549 9	81.0	12
	38.0	107 582 9	79.0	12
	50.8	107 583 9	108.0	12
14.2	63.5	107 584 9	114.3	12
	25.4	107 552 9	66.7	12
	31.7	107 585 9	73.0	12
	25.4	107 558 9	66.7	12
	31.7	107 588 9	73.0	12
15.8	38.0	107 591 9	79.3	12
	50.8	107 592 9	92.0	12
	25.4	107 593 9	66.7	12
17.4	31.7	107 594 9	73.0	12
	25.4	107 597 9	66.7	12
19.0	31.7	107 600 9	73.0	12
	38.0	107 603 9	79.3	12
	50.8	107 604 9	92.0	12
19.8	31.7	107 566 9	73.0	12
	25.4	107 606 9	66.7	12
20.6	31.7	107 609 9	73.0	12
	25.4	107 612 9	66.7	12
22.2	31.7	107 615 9	73.0	12
	25.4	107 618 9	66.7	12
25.4	31.7	107 621 9	73.0	12
	38.0	107 624 9	79.3	12
	50.8	107 625 9	92.0	12
	25.4	107 627 9	66.7	12
31.7	31.7	107 630 9	73.0	12
	25.4	107 633 9	66.7	12
35.0	31.7	107 636 9	73.0	12
	31.7	107 637 9	73.0	12
38.0	25.4	107 639 9	66.7	12
	31.7	107 642 9	73.0	12
42.1	31.7	107 645 9	73.0	12
	31.7	107 648 9	73.0	12
47.6	31.7	107 649 9	73.0	12
	50.8	107 649 9	73.0	12




* Solid Carbide
Can be supplied with 1/2" shank.






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Straight Bit



øD	B	Code No.	L	ød
14	30	107 311 9 *	86	12
15	30	107 313 9	86	12
16	30	107 312 9	88	12

⚠ Can be supplied with 1/2" shank.

Spare Parts:



T.C. Blade
#310 793 0
30x9x1.5



Torx screw
#193 354 8
M3.5x4.8




Torx screw *

#193 364 8
M3.5x4.8



Torx key
#194 101 5
T15



øD	B	Code No.	L	ød
18	30	107 316 9	88	12
20	30	107 320 9	88	12
22	30	107 324 9	88	12
25	30	107 329 9	88	12

⚠ Can be supplied with 1/2" shank.

Spare Parts:



T.C. Blade
#310 723 0
30x12x1.5




Torx screw
#193 148 2
M4x5.6



Torx key
#194 101 5
T15

Straight Bit



øD	B	Code No.	L	ød	T
10	20	807 1059	71	12	1
12	30	807 1119 *	81	12	2

⚠ Can be supplied with 1/2" shank.

Spare Parts:



T.C. Blade
310 751 0
20x5.5x1.1



T.C. Blade *

310 751 1
30x5.5x1.1



Allen screw
193 035 0
M3x4



Allen screw *

193 036 0
M3x5



Washers
196 205 0
7.0x1





Washers *

196 207 0
9.5x1




Allen key
194 102 0
S1.5






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Flush Trimming Bit



øD	B	Code No.	L	ød
18	12	107 301 3	44	6
	12	107 301 5	44	8
	12	107 301 9	50	12
20	12	107 302 3	44	6
	12	107 302 5	45	8
	12	107 302 9	50	12
22	12	107 303 3	44	6
	12	107 303 5	44	8
	12	107 303 9	50	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:




T.C. Blade
#310 121 2
12x12x1.5




Torx screw
#193 148 2
M4x5.6




Torx key
#194 101 5
T15






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian




Straight Bit




øD	B	Code No.	L	ød
3	11	107 001 5 *	51	8
4	11	107 004 5 *	51	8
5	11	107 007 5 *	51	8
6	19	107 010 5 *	57	8
	25	107 013 5	63	8
7	19	107 016 5	57	8
	19	107 022 5	57	8
8	25	107 025 5	63	8
	25	L107 025 5	80	8
	19	107 028 5	51	8
	25	107 031 5	57	8
10	32	107 034 5	64	8
	32	L107 034 5	80	8
11	19	107 037 5	51	8
	25	107 040 5	57	8
	19	107 043 5	51	8
	25	107 046 5	57	8
12	32	107 049 5	64	8
	32	L107 049 5	80	8
13	19	107 056 5	51	8
	19	107 058 5	51	8
14	19	L107 058 5	70	8
	25	107 061 5	57	8
15	19	107 065 5	51	8
	19	107 067 5	51	8
16	25	107 070 5	57	8
	25	L107 070 5	85	8
18	19	107 079 5	51	8
	19	L107 079 5	70	8
19	19	107 088 5	51	8
	19	107 100 5	51	8
20	19	L107 100 5	70	8
	19	107 109 5	51	8
22	19	L107 109 5	70	8
	19	107 119 5	51	8
24	19	107 119 5	51	8
25	19	107 118 5	51	8
26	19	107 131 5	51	8
28	19	107 126 5	51	8




* Solid Carbide



Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian




Straight Bit




⚠ * Solid Carbide




øD	B	Code No.	L	ød
1.3	4.5	107 833 3 *	47	6
1.5	4.5	107 834 3 *	47	6
2.0	6.5	107 835 3 *	47	6
2.5	8.0	107 012 3 *	48	6
3.0	8.0	107 801 3 *	41	6
	8.0	107 802 3 *	55	6
	11.0	107 001 3 *	51	6
	11.0	X107 001 3 *	60	6
4.0	11.0	107 004 3 *	51	6
	11.0	X107 004 3 *	60	6
5.0	11.0	107 007 3 *	51	6
	16.0	107 008 3 *	56	6
	16.0	107 011 3	48	6
6.0	19.0	107 010 3	51	6
	25.0	107 013 3	57	6
6.5	19.0	107 014 3	51	6
	25.0	107 017 3	57	6
7.0	19.0	107 016 3	51	6
	25.0	107 019 3	57	6
8.0	19.0	107 022 3	51	6
	19.0	L 107 022 3	65	6
	25.0	107 025 3	57	6
8.5	19.0	107 026 3	51	6
9.0	19.0	107 027 3	51	6
	19.0	107 028 3	51	6
10.0	25.0	107 031 3	57	6
	32.0	107 034 3	64	6
10.3	19.0	107 035 3	51	6
	19.0	107 037 3	51	6
11.0	25.0	107 040 3	57	6
	19.0	107 041 3	51	6
11.3	19.0	107 043 3	51	6
	25.0	107 046 3	57	6
12.0	32.0	107 049 3	64	6
	19.0	107 056 3	51	6
13.0	25.0	107 054 3	57	6
	32.0	107 042 3	64	6
14.0	19.0	107 058 3	51	6
14.5	19.0	107 059 3	51	6
	19.0	107 065 3	51	6
15.0	25.0	107 064 3	57	6
	32.0	107 066 3	64	6
16.0	19.0	107 067 3	51	6
	25.0	107 070 3	57	6
17.0	32.0	107 072 3	64	6
	19.0	107 078 3	51	6
18.0	19.0	107 079 3	51	6
18.2	19.0	107 086 3	51	6
19.0	19.0	107 088 3	51	6
	25.0	107 089 3	57	6
20.0	16.0	107 099 3	48	6
	19.0	107 100 3	51	6
20.2	19.0	107 107 3	51	6
21.0	19.0	107 108 3	51	6
22.0	19.0	107 109 3	51	6
25.0	19.0	107 118 3	51	6






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Straight Bit




øD	B	Code No.	L	ød
2.4	6.3	107 500 3 *	30.1	6
3.1	11.1	107 501 3 *	50.8	6
4.0	11.1	107 504 3 *	50.8	6
4.7	11.1	107 507 3 *	50.8	6
	15.8	107 506 3 *	55.5	6
5.5	19.0	107 505 3	50.8	6
	12.7	107 509 3	44.5	6
	15.8	107 520 3	47.6	6
6.7	19.0	107 510 3	50.8	6
	25.4	107 513 3	57.0	6
	25.4	107 514 3	73.0	6
	19.0	107 516 3	50.8	6
7.1	25.4	107 519 3	57.0	6
	19.0	107 522 3	50.8	6
	25.4	107 525 3	57.0	6
8.0	25.4	L 107 525 3	70.0	6
	19.0	107 528 3	50.8	6
9.5	25.4	107 531 3	57.0	6
	31.7	107 534 3	63.5	6
	19.0	107 537 3	50.8	6
11.0	25.4	107 540 3	57.0	6
	19.0	107 543 3	50.8	6
	25.4	107 546 3	57.0	6
12.7	31.7	107 549 3	63.5	6
	19.0	107 551 3	50.7	6
14.2	25.4	107 552 3	57.0	6
	19.0	107 555 3	50.8	6
15.8	25.4	107 558 3	57.0	6
	19.0	107 561 3	50.8	6
17.5	25.4	107 562 3	57.0	6
	19.0	107 564 3	50.8	6
19.0	25.4	107 565 3	57.0	6
	19.0	107 567 3	50.8	6
20.6	19.0	107 570 3	50.8	6
22.2	19.0	107 573 3	50.8	6
25.4	19.0			




* Solid Carbide.


Can be supplied with 1/4" shank.



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving




Corian



Straight Bit - with Center Tip




øD	B	Code No.	L	ød
8	19	107 722 9	63	12
10	19	107 728 9	63	12
12	25	107 746 9	67	12
	38	107 752 9	79	12
	51	107 755 9	108	12
14	19	107 758 9	61	12
	25	107 761 9	67	12
15	25	107 764 9	67	12
16	19	107 767 9	61	12
	25	107 770 9	67	12
	32	107 773 9	73	12
	38	107 776 9	79	12
17	25	107 778 9	65	12
18	25	107 784 9	67	12
19	25	107 789 9	67	12
20	25	107 703 9	67	12
22	32	107 715 9	73	12




⚠ Can be supplied with 1/2" shank.


Straight Bit - with Center Tip



øD	B	Code No.	L	ød
8	19	107 722 5	57	8
10	19	107 728 5	51	8
12	19	107 743 5	51	8
	25	107 746 5	57	8
14	32	107 749 5	63	8
	19	107 758 5	51	8
16	25	107 761 5	57	8
	19	107 767 5	51	8
18	25	107 770 5	57	8
	19	107 779 5	51	8
19	25	107 784 5	57	8
	25	107 789 5	57	8
20	19	107 700 5	51	8




Straight Bit with Center Tip




øD	B	Code No.	L	ød
8.0	19.0	107 422 3	50.8	6
	19.0	107 428 3	50.8	6
9.5	25.4	107 431 3	57.0	6
	31.7	107 434 3	63.5	6
12.7	19.0	107 443 3	50.8	6
	25.4	107 445 3	66.0	6
	25.4	107 446 3	54.0	6
15.8	19.0	107 455 3	50.8	6
22.2	19.0	107 470 3	50.8	6
25.4	19.0	107 473 3	50.8	6




⚠ Can be supplied with 1/4" shank.



Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian




Straight Bit with Center Tip



øD	B	Code No.	L	ød
8.0	19.0	107 422 9	63.5	12
9.5	31.7	107 434 9	76.2	12
11.0	25.4	107 440 9	70.0	12
12.7	25.4	107 446 9	66.7	12
	31.7	107 449 9	73.0	12
	38.0	107 482 9	79.3	12
16.0	50.8	107 483 9	108.0	12
	31.8	107 488 9	73.0	12
	50.8	107 492 9	95.0	12
19.0	25.4	107 465 9	67.0	12
22.2	31.8	107 415 9	73.0	12
25.4	25.4	107 418 9	67.0	12
41.0	25.4	107 739 9	67.0	12
44.5	31.8	107 745 9	73.0	12
47.6	31.8	107 748 9	73.0	12

⚠ Can be supplied with 1/2" shank.

Straight and Plunge Bit



øD	B	Code No.	L	ød
12	30	107 350 9	77	12
14	30	107 354 9	77	12
15	30	107 355 9	77	12

⚠ Can be supplied with 1/2" shank.

Spare Parts:




T.C. Blade
#310 793 0
9x30x1.5




Torx screw
#193 354 8
M3.5x0.6




Torx key
#194 101 5
T15



Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Straight and Plunge Bit



øD	B	Code No.	L	ød
16	50	107 360 9	107	12
18	50	107 364 9	107	12
20	50	107 368 9	107	12
22	50	107 372 9	107	12

⚠ Can be supplied with 1/2" shank.

Spare Parts:





T.C. Blade
#310 725 0
50x12x1.5




Torx screw
#193 354 8
M3.5x4.8



Torx key
#194 101 5
T15



Straight and Plunge Bit



øD	B	Code No.	L	ød
16.0	30.0	107 358 9	88	12
18.0	30.0	107 362 9	88	12
20.0	30.0	107 366 9	88	12
22.0	30.0	107 370 9	88	12
15.8	30.0	107 382 9	88	12

⚠ Can be supplied with 1/2" shank.

Spare Parts:






T.C. Blade
#310 723 0
30x12x1.5




Torx screw
#193 354 8
M3.5x4.8




Torx key
#194 101 5
T15






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving




Corian



Staggered Straight & Plunge Bit



øD	B	Code No.	L	ød
18	20	107 306 3	52	6
	20	107 306 5	52	8
	20	107 306 9	60	12
20	20	107 307 3	52	6
	20	107 307 5	52	8
	20	107 307 9	60	12
22	20	107 308 3	52	6
	20	107 308 5	52	8
	20	107 308 9	60	12



⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



T.C. Blade
#310 121 2
12x12x1.5




Torx screw
#193 148 2
M4x5.6



Torx key
#194 101 5
T15

Straight and Plunge Bit



øD	B	Code No.	L	ød
25	30	107 378 9	86	12

⚠ Can be supplied with 1/2" shank.

Spare Parts:



T.C. Blade
#310 723 0
30x12x1.5



T.C. Blade
#310 751 2
7.5x12x1.5




Torx screw
#193 148 1
M4x5.6




Torx screw
#193 148 2
M4x5.6




Torx key
#194 101 5
T15






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian




Solid Carbide Straight Bit




øD	B	Code No.	L	ød
4.0	11.1	so 107 504 4	50.8	6.35
4.7	11.1	so 107 507 4	50.8	6.35
	12.7	so 107 836 4	50.8	6.35
6.3	12.7	so 107 509 4	50.8	6.35
5.5	19.0	so 107 505 4	50.8	6.35
	19.0	so 107 510 4	50.8	6.35
6.3	19.0	soL 107 510 4	63.5	6.35
	50.8	soL 107 513 4	63.5	6.35



Can be supplied with 1/4" shank.




Solid Carbide Straight Bit




øD	B	Code No.	L	ød
3	11	so 107 001 3	60†	6
4	11	so 107 004 3	60	6
5	11	so 107 007 3	60	6
	19	so 107 010 3	60	6
6	19	soL 107 010 3	63	6
	25	soL 107 013 3	63	6



Can be supplied with 1/4" shank.



Straight Bit - Left Hand Rotation



øD	B	Code No.	L	ød
8.0	50.8	107 525 9L	70.0	12
9.5	50.8	107 531 9L	70.0	12
	31.7	107 549 9L	73.0	12
12.7	38.1	107 582 9L	79.3	12
	50.8	107 583 9L	108.0	12
19.0	31.7	107 600 9L	73.0	12
	50.8	107 604 9L	66.7	12




Can be supplied with 1/2" shank.






Grooving
& Sizing



Profiling &
Chamfering






Jointing &
Rebating




Carving



Corian




Straight Bit - Shear Angle




øD	B	Code No.	L	ød
9.5	50.8	107 531 3S	54.0	6
	50.8	107 531 9S	70.0	12
12.7	31.8	107 549 9S	73.0	12
	38.0	107 582 9S	79.0	12
	50.8	107 583 9S	107.5	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Straight Bit - Template Profile



øD	B	Code No.	L	ød	
6.3	12.7	1072 40 3	51	6.0	A
12.7	25.4	1072 46 3	63	6.0	A
12.7	32.0	1072 48 3	69	6.0	A
15.9	25.4	1072 58 3	63	6.0	B
19.1	25.4	1072 66 3	63	6.0	C
19.1	25.4	1072 97 9	77	12.0	D
19.1	50.8	1072 04 9	92	12.0	D
25.4	44.5	1072 22 9	95	12.0	G
26.0	25.4	1072 74 6	73	9.5	E
28.6	38.1	1072 39 9	92	12.0	F
31.8	44.5	1072 37 9	98	12.0	H

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Spare Parts:



A.Ball Bearing
#191 003 0
1/4x1/2 x3/16



B.Ball Bearing
#191 005 0
1/4x5/8x5.0



C.Ball Bearing
#191 014 0
1/4x3/4x9/32




D.Ball Bearing
#191 020 0
1/2x3/4x5/32

E.Ball Bearing
#191 017 0
10x26x8


F.Ball Bearing
#191 018 0
1/2x1/8x5/16

G.Ball Bearing
#191 921 0
15x25.4x6


H.Ball Bearing
#191 922 0
15x31.8 x8.5



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian





Bottom Cleaning Bit



øD	B	Code No.	L	ød
19.1	11.1	1640 07 3	57.0	6
	11.1	1640 07 9	63.5	12
25.4	11.1	1640 14 9	64.0	12
38.1	16.0	1640 18 9	69.0	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



øD	B	Code No.	L	ød	Symbol
19.1	11.1	1642 07 3	57.0	6	A
	11.1	1642 07 9	63.5	12	B
25.4	11.1	1642 14 9	64.0	12	C
38.1	16.0	1642 18 9	69.0	12	D

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



A. Ball Bearing
#191 014 0
19x6.3x7




B. Ball Bearing
#191 020 0
19x12.7x4





C. Ball Bearing
#191 921 0
15x25.4x6



D. Ball Bearing
#191 922 1
15x38.1x3





Stepped Rebatg Bit




øD	øD1	Code No.	B1	B2	L	ød
19	9.5	1141 08 3	12.7	6.3	47.6	6
19	12.7	1141 09 3	9.5	6.3	50.8	6
22	14.0	1141 10 9	8.0	9.5	57.0	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Straight Bit - Single Tooth



øD	B	Code No.	L	ød
3.0	11.1	1250 02 3 *	51.0	6
3.2	11.1	1250 01 3 *	51.0	6
4.0	11.1	1250 04 3 *	51.0	6
4.8	11.1	1250 07 3 *	51.0	6
6.3	12.7	1250 10 3	51.0	6
	19.1	1250 13 3	51.0	6
	25.4	1250 16 3	57.0	6
7.9	25.4	1250 23 3	57.0	6
12.7	25.4	1250 28 3	54.0	6
15.9	19.1	1250 38 3	49.0	6
19.1	19.1	1250 40 3	47.0	6
6.3	19.1	1250 13 9	65.0	12
	25.4	1250 16 9	68.5	12
	19.1	1250 19 9	63.5	12
7.9	25.4	1250 23 9	71.5	12
	25.4	1250 22 9	70.0	12
	31.8	1250 25 9	76.0	12
9.5	25.4	1250 28 9	63.5	12
	31.8	1250 31 9	73.0	12
	38.1	1250 34 9	79.0	12
12.7	50.8	1250 35 9	108.0	12
	31.8	1250 37 9	73.0	12




* Solid Carbide

6mm shank can be supplied with 1/4" shank.

12mm shank can be supplied with 1/2" shank.


Staggered Straight Bit




øD	B	Code No.	L	ød
12.7	38.1	1260 10 9	79.4	12
	54.0	1260 14 9	108.0	12
16.0	51.0	1260 23 9	103.0	12




Can be supplied with 1/2" shank.



Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating





Carving



Corian




Staggered Straight Shear Bit





øD	B	Code No.	L	ød
12.7	38.1	1260 10 9s	79	12
	54.0	1260 14 9s	108	12

⚠ Can be supplied with 1/2" shank.




Staggered Straight Bit with Center Tip




øD	B	Code No.	L	ød
14	50.8	1260 330	109.5	14
	50.8	1260 339	109.5	12

⚠ Can be supplied with 1/2" shank.




5.20






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Staggered Straight Bit



øD	B	Code No.	L	ød
16	50	107 314 9 *	107	12
18	50	107 318 9	107	12
20	50	107 322 9	107	12
22	50	107 326 9	107	12

⚠ Can be supplied with 1/2" shank.

Spare Parts:



T.C. Blade *
310 793 0
30x9x1.5



Torx screw *
193 354 8
M3.5x4.8



T.C. Blade
310 723 0
30x12x1.5




Torx screw
193 148 2
M4xS6



Torx key
194 101 5
T15




Hinge Mortising Bit




øD	B	Code No.	L	ød
12.7	19.1	1110 01 3	51	6
	19.1	1110 01 5	51	8
15.9	19.1	1110 04 3	51	6
	19.1	1110 04 5	51	8
19.1	19.1	1110 07 3	51	6
	19.1	1110 07 5	51	8
25.4	19.1	1110 10 3	51	6
	19.1	1110 10 5	51	8
31.8	19.1	1110 12 9	58	12
	31.8	1110 13 9	73	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.






Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Flush Trimming Bit



øD	B	Code No.	L	ød
19	12	1019 40 3 *	52	6
	12	1019 40 5 *	57	8
	30	1019 44 3	70	6
	30	1019 44 5	72	8
	30	1019 44 9	78	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



T.C. Blade *
#310 123 0
12x12x1.5



T.C. Blade
#310 121 2
30x12x1.5




Ball Bearing
#191 012 0
6x19x6




Torx screw
#193 148 2
M - 4x5.6



Torx key
#194 102 0
T - 15



Flush Trimming Bit



øD	B	Code No.	L	ød
12.7	8.5	1019 10 3	57	6

⚠ Can be supplied with 1/4" shank.

Spare Parts:



T.C. Blade
#310 150 1
8.5x5.5x1.1



Ball Bearing
#191 007 0
4.7x12.7x5



Torx screw
#193 036 0
M3x5




Torx screw
#193 033 0
M3x6




Allen key
#194 102 0
S1.5






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Flush Trimmer Bit



øD	B	Code No.	Teeth	L	ød	
9.5	12.7	1010 01 3	2	56	6.0	A
	12.7	1010 01 5	2	59	8.0	A
	25.4	1010 04 3	2	69	6.0	A
	25.4	1010 04 5	2	72	8.0	A
12.7	12.7	1010 07 3	2	56	6.0	B
	12.7	1010 07 5	2	60	8.0	B
	25.4	1010 10 3	2	67	6.0	B
	25.4	1010 10 5	2	71	8.0	B
	25.4	1010 10 6	2	74	9.5	B
	12.7	1010 07 9	2	71	12.0	B
	25.4	1010 10 9	2	84	12.0	B
	38.1	1010 16 9	2	99	12.0	B
19.1	51.0	1010 19 9	2	108	12.0	B
	25.4	1014 17 9	2	83	12.0	C
	12.7	1010 22 3	3	56	6.0	B
	12.7	1010 22 5	3	59	8.0	B
12.7	25.4	1010 25 3	3	67	6.0	B
	25.4	1010 25 5	3	70	8.0	B
	12.7	1010 22 9	3	71	12.0	B
	25.4	1010 25 9	3	84	12.0	B
	38.1	1010 28 9	3	100	12.0	B

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



A. Ball Bearing
#191 004 0
4.7x9.5x3.1




B. Ball Bearing
#191 007 0
4.7x12.7x5



C. Ball Bearing
#191 014 0
6.3x19x7

Flush Trimmer Bit - Double Bearing



øD	B	Code No.	Teeth	L	ød
12.7	38.1	1010 17 9	2	103.5	12
	51.0	1010 20 9	2	116.7	12
	38.1	1010 30 9	3	103.5	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:




Ball Bearing
#191 007 0
4.7x12.7x5




Nut
#198 001 0
NC3/16



Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Flush Trimmer Bit - Shear Angle



øD	B	Code No.		L	ød	
16.0	16.0	1010 13 3	Down cut	56.0	6	A
	16.0	1010 13 5	Down cut	60.0	8	B
19.1	16.0	1010 15 3	Down cut	61.0	6	A
	16.0	1010 15 5	Down cut	64.0	8	A
	25.4	1010 18 3	Down cut	72.0	6	A
	25.4	1010 18 5	Down cut	75.0	8	A
19.1	38.1	1013 01 9	Up cut	98.4	12	A
	50.8	1013 02 9	Up cut	108.0	12	A

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Spare Parts:




A. Ball Bearing
#191 010 0
5x16x5



B. Ball Bearing
#191 014 0
6.7x19x2.4

Flush Trimmer Bit



øD	B	Code No.	Flutes	L	ød
6.35	12.7	1011 01 3	2	52	6
	25.4	1011 00 3	2	65	6


⚠ Can be supplied with 1/4" shank.

Spare Parts:



Ball Bearing
#191 002 0
3x6.3x2.8

Flush Trimmer - V Groove Bit





øD	B	Code No.	Flutes	L	ød
12.7	25.4	1010 11 3	2	67	6
	25.4	1010 11 9	2	83	12


⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
4.7x12.7x5






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Combi Trimmer Bit - Flush & Bevel




øD	a	B	Code No.	L	ød
8.7	23°	12.7	1100 19 3	41.3	6
9.5	23°	12.7	1100 16 3	41.3	6
12.7	23°	12.7	1100 01 3	41.3	6
	30°	12.7	1100 04 3	41.3	6
	30°	12.7	1100 04 5	44.3	8

⚠ Can be supplied with 1/4" shank.




Bevel Bit




øD	a	B	Code No.	L	ød
12.7	15°	12.7	1030 09 3	51.0	6
22.2	23°	10.0	1030 01 3	38.5	6
	23°	10.0	1030 01 5	42.5	8
25.4	30°	10.0	1030 04 3	38.5	6
	30°	10.0	1030 04 5	42.0	8
24.2	45°	6.3	1030 06 5	38.5	8
34.2	45°	10.0	1030 07 3	38.5	6
	45°	10.0	1030 07 5	42.0	8

⚠ Can be supplied with 1/4" shank.



V Groove Bit




øD	a	B	Code No.	L	ød
12.7	45°	12.7	1052 10 3	52	6


⚠ Can be supplied with 1/4" shank.

Spare Parts:




Ball Bearing
#191 003 0
12.7x3.6x4.7






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian




V Groove Bit



øD	a	B	Code No.	L	ød
9.5	90°	11.0	1050 01 3	42.0	6
	90°	11.0	1050 01 5	45.0	8
12.7	60°	16.0	1050 04 3	44.5	6
	60°	16.0	1050 04 5	47.5	8
	70°	16.0	1050 07 3	44.5	6
	70°	16.0	1050 07 5	47.5	8
	90°	12.7	1050 10 3	41.5	6
	90°	12.7	1050 10 5	44.0	8
16.0	90°	12.7	1050 13 3	41.3	6
	90°	12.7	1050 13 5	45.0	8
19.1	90°	16.0	1050 16 3	45.0	6
	90°	16.0	1050 16 5	48.0	8
22.2	90°	19.1	1050 17 3	48.0	6
	90°	19.1	1050 17 5	52.0	6
25.4	90°	19.1	1050 19 3	48.0	6
	90°	19.1	1050 19 5	51.0	8
9.5	90°	11.0	1050 01 9	52.0	12
12.7	90°	12.7	1050 10 9	55.0	12
16.0	90°	12.7	1050 13 9	51.0	12
19.1	90°	16.0	1050 16 9	54.0	12
25.4	90°	19.1	1050 19 9	57.0	12
31.8	90°	25.4	1050 22 9	63.5	12
38.1	90°	31.8	1050 25 9	70.0	12
51.0	90°	44.5	1050 31 9	83.0	12


⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Panel Pilot Bit




øD	B	Code No.	L	ød
6.3	19.1	1150 01 3 *	63.5	6.0
	19.1	1150 01 5 *	63.5	8.0
9.5	25.4	1150 04 6 *	76.2	9.5
12.7	30.1	1150 07 9 *	88.9	12.0
6.3	19.1	1153 01 5 **	63.5	8.0
9.5	25.4	1153 04 6 **	76.2	9.5
12.7	30.1	1153 07 9 **	88.9	12.0

⚠ * Single Fluted
** Double Fluted
6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian






Seal Straight Bit




øD	B	Code No.	L	ød
3	8	1078 02 3	55	6
	8	1078 02 5	48	8

⚠ Solid Carbide
Can be supplied with 1/4" shank.







Seal Profile Bit




øD	øD1	Code No.	B	B1	a	L	ød
5.5	2	1041 01 3	8	4	38°	65	6

⚠ Solid Carbide
Can be supplied with 1/4" shank.






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian





Dovetail Seal Bit




øD	a	B	Code No.	L	ød
5.1	25°	8	1043 00 3	60	6





Solid Carbide



Keyhole Slot Cutter - Single Fluted




øD	øD1	B	Code No.	L	ød
9.7	5	9.5	1141 01 3	40.0	6
	5	9.5	1141 01 5	47.0	8
12.7	8	9.5	1141 03 3	38.1	6
	8	9.5	1141 03 5	38.1	8



5.28





Multi Profile Router


Multi Profile Router Gives You A Wide Range Of Profiling Options in a Single Router Bit With Replaceable Carbide Tips.

Durability: Replaceable blades are harder, stronger, longer lasting and offer better performance with abrasive materials.



Versatility: One tool gives you a wide range of profiling options, that can be used with portable or industrial CNC machinery.

Safety: Designed for chip limitation with additional protective shield.

Service-Free: The tool does not need sharpening, providing: consistent profiles with no loss of work time.



Type A



5.30





Multi Profile Router

Patent Pending #129720




Router Body Options:

- Type A with ball bearing
- Type B without ball bearing



Type B






Grooving
& Sizing



**Profiling &
Chamfering**




Jointing &
Rebating



Carving




Corian



Multi Profile Router

Type A




Type	D	Code No.	L	ød
A	34	808 101 9	75	12
	34	808 101 5	69	8
	34	808 101 3	69	6
B	28	808 001 9	59	12
	28	808 001 5	53	8
	28	808 001 3	53	6

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Each replaceable carbide tip and its safety shield have identical markings to ensure correct use of shield only with its corresponding carbide tip.




Type B




T.C. Blade for Multi Profile Router Type A




	Code No.	øD	a°
A01	351 180 5	35.0	30°
A02	351 181 0	38.0	45°






Grooving
& Sizing




**Profiling &
Chamfering**




Jointing &
Rebating




Carving





Corian





T.C. Blade for Multi Profile Router Type A





	Code No.	øD	R
A03	351 090 5	35.0	3.2
A04	351 091 0	35.0	4.8




	Code No.	øD	R
A05	351 091 5	35.0	6.35
A06	351 092 0	35.0	7.9
A07	351 092 5	38.0	9.5




	Code No.	øD	R
A08	351 990 5	35.0	4.8
A09	351 991 0	35.0	6.35
A10	351 991 5	38.0	7.9




	Code No.	øD	R
A11	351 120 5	35.0	6.3
A12	351 121 0	35.0	7.9
A13	351 121 5	38.0	9.5






Grooving
& Sizing




**Profiling &
Chamfering**




Jointing &
Rebating




Carving





Corian





T.C. Blade for Multi Profile Router Type A





	Code No.	øD	R
A14	351 40 05	35.0	4.8




	Code No.	øD	R	R1
A15	351 38 05	36.0	4.0	4.5
A16	351 38 10	38.0	4.0	4.5




	Code No.	øD	R
A17	351 130 5	35.0	4.0/4.0




	Code No.	øD	R
A18	351 350 5	35.0	4.0/4.0
A19	351 351 0	38.0	4.0/4.0






Grooving
& Sizing



**Profiling &
Chamfering**




Jointing &
Rebating




Carving





Corian





T.C. Blade for Multi Profile Router Type A




	Code No.	øD	R
A20	351 340 5	38.0	4.0/4.0




	Code No.	øD	R
A21	351 390 5	35.0	4.8



	Code No.	øD	R
A22	351 360 5	35.0	4.0/4.0
A23	351 361 0	38.0	4.0/4.0




T.C. Blade for Multi Profile Router Type B




	Code No.	øD	a°
B51	351 051 0	9.5	45°






Grooving
& Sizing



**Profiling &
Chamfering**




Jointing &
Rebating




Carving





Corian





T.C. Blade for Multi Profile Router Type B




	Code No.	øD	a°
B52	351 050 5	12.7	30°



	Code No.	øD	R
B53	351 060 5	12.7	6.35




	Code No.	øD	R
B54	351 061 0	25.4	12.7




	Code No.	øD	R
B55	353 513 105	19.1	4.0/4.0






Grooving
& Sizing



Profiling &
Chamfering






Jointing &
Rebating





Carving



Corian



Bevel Bit



øD	a	B	Code No.	L	ød	
31.8	45°	12.7	1180 01 3	51.0	6	A
	45°	12.7	1180 01 5	54.5	8	B
	45°	12.7	1180 01 9	60.0	12	B
50.8	45°	19.1	1180 04 9	69.0	12	B
60.5	45°	25.4	1180 07 9	74.0	12	B
34.9	60°	20.6	1181 00 3	61.0	6	B
	60°	20.6	1181 00 9	71.0	12	B
76.2	45°	25.4	1180 09 9	80.0	12	C

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



A. Ball Bearing
#191 001 0
15x3x4





B. Ball Bearing
#191 007 0
12.7x4.7x5



C. Ball Bearing
#191 972 0
25.4x6.3x9.1



Adjustable Trimmer



øD	a	Code No.	L	ød
22.0	0°	1161 01 9 (1 cutter)	76	12
25.4	15°	1161 04 9 (1 cutter)	76	12
27.0	25°	1160 27 9 (2 cutters) *	96	12
	25°	1161 07 9 (1 cutter)	76	12
34.0	45°	1160 21 9 (2 cutters) *	96	12
	45°	1161 20 9 (1 cutter)	76	12

⚠ Can be supplied with 1/2" shank.

Spare Parts:




Arbor & Nut
#190 004 9
L=76




Arbor & Nut *
#190 009 9
L=96




Ball Bearing
#191 013 0
8x22x7




øD	a	B	Cutter No.	ød1
22.0	0°	6.5	1160 01 0	7.94
25.4	15°	6.5	1160 04 0	7.94
27.0	25°	6.5	1160 07 0	7.94
	25°	6.5	1160 17 0	7.94
34.0	45°	6.5	1160 20 0	7.94
34.0	45°	6.5	1160 21 0	7.94



Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating





Carving



Corian



Bevel Trimmer Bit





øD	a	B	Code No.	L	ød
12.7	0°	6.3	1020 01 3	53	6
	0°	6.3	1020 01 5	53	8
15.9	15°	6.3	1020 04 3	53	6
	15°	6.3	1020 04 5	53	8
19.1	25°	6.3	1020 07 3	53	6
	25°	6.3	1020 07 5	53	8
	30°	6.3	1020 08 3	53	6
	30°	6.3	1020 08 5	53	8

⚠ Can be supplied with 1/4" shank.

Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



øD	a	B	Code No.	L	ød	
22.2	45°	6.3	1020 01 3	47.0	6	B
	45°	6.3	1020 10 5	50.0	8	B
24.0	15°	9.5	1020 05 3	53.0	6	A
	15°	9.5	1020 05 5	56.5	8	A
35.0	45°	18.0	1020 12 3	57.0	6	B
	45°	18.0	1020 12 9	67.0	12	B

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:




A. Ball Bearing
#191 007 0
12.7x4.7x5



B. Ball Bearing
#191 014 0
19x6.3x7



Bevel Trimmer Bit Three Fluted



øD	a	B	Code No.	L	ød
17.5	10°	10	1410 01 3	49	6
19.0	15°	10	1410 04 3	49	6
	15°	10	1410 04 5	53	8
22.2	25°	10	1410 07 3	50	6
	25°	10	1410 07 5	53	8
30.0	45°	10	1410 10 3	50	6
	45°	10	1410 10 5	53	8


⚠ Can be supplied with 1/4" shank.

Spare Parts:




Ball Bearing
#191 010 0
5x16x5






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Bevel Trimming Bit



øD	a	B	Code No.	L	ød
20	15°	12	1021 52 3	55	6
	15°	12	1021 52 5	55	8
24	25°	12	1022 52 3	55	6
	25°	12	1022 52 5	55	8
26	30°	12	1023 02 3	54	6
	30°	12	1023 02 5	54	8



Can be supplied with 1/4" shank.

Spare Parts:



T.C. Blade
#310 121 2
12x12x1.5



Torx screw
#193 148 2
M4x5.6




Ball Bearing
#191 005 0
16x6.3x4.7



Torx key
#194 101 5
T15

Bevel Trimming Bit



øD	a	B	Code No.	L	ød
27	45°	12	1024 52 3	56	6
	45°	12	1024 52 5	58	8



Can be supplied with 1/4" shank.

Spare Parts:



T.C. Blade
310 121 2
12x12x1.5



Torx screw
193 148 2
M4x5.6




Ball Bearing
191 003 0
6.3x12.7x4.7




Torx key
194 101 5
T15

Chamfering 45°
With Ball Bearing
Guide





Application "v" groove. By putting different ball bearings, you can adjust the groove depth as follows:




Code No.	Description	A	V
191 003 0	1/4" x 1/2" x 3/16"	7.0mm	14.0mm
191 005 0	1/4" x 5/8" x 3/16"	5.0mm	10.0mm
191 014 0	1/4" x 3/4" x 9/32"	3.2mm	6.4mm

45° miter joint undercutter assembly
with delrin guide






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian




Core Box Bit



øD	R	B	Code No.	L	ød
9.5	4.8	6.3	1060 09 3	38.0	6
	4.8	6.3	1060 09 5	42.5	8
12.7	6.3	9.5	1060 12 3	38.0	6
	6.3	9.5	1060 12 5	41.5	8
15.9	7.9	11.0	1060 15 3	40.0	6
	7.9	11.0	1060 15 5	43.5	8
19.1	9.5	11.0	1060 18 3	40.0	6
	9.5	11.0	1060 18 5	43.0	8
22.2	11.0	13.8	1060 21 3	44.5	6
	11.0	13.8	1060 21 5	46.0	8
25.4	12.7	17.5	1060 24 3	46.5	6
	12.7	17.5	1060 24 5	50.0	8
9.5	4.8	6.3	1060 09 9	52.0	12
12.7	6.3	9.5	1060 12 9	55.5	12
15.9	7.9	11.0	1060 15 9	51.0	12
19.1	9.5	11.0	1060 18 9	49.5	12
22.2	11.0	13.8	1060 21 9	52.0	12
25.4	12.7	17.5	1060 24 9	56.0	12
32.0	16.0	32.0	1060 33 9	70.0	12
38.1	19.1	32.0	1060 37 9	70.0	12
50.8	25.4	32.0	1060 40 9	70.0	12


⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Core Box Bit




øD	R	B	Code No.	L	ød
3.2	1.6	9.5	1060 01 3 *	44.0	6
	1.6	9.5	1060 01 5 *	44.0	8
4.8	2.4	11.0	1060 03 3 *	47.0	6
	2.4	11.0	1060 03 5 *	47.0	8
6.3	3.2	11.0	1060 06 3 *	47.0	6
	3.2	11.0	1060 06 5 *	47.0	8
8.0	4.0	12.7	1060 07 3	47.0	6
	4.0	12.7	1060 07 5	50.0	8
14.0	7.0	18.0	1060 17 3	46.5	6
	7.0	18.0	1060 17 5	50.0	8
18.0	9.0	19.0	1060 20 3	60.0	12
	9.0	19.0	1060 20 5	48.0	6
9.5	4.8	25.4	1060 11 5	51.0	8
	4.8	25.4	1060 11 9	58.0	8
12.7	6.3	32.0	1060 13 9	70.0	12
14.2	7.1	32.0	1060 14 9	73.0	12
16.0	8.0	32.0	1060 16 9	73.0	12
19.1	9.5	32.0	1060 19 9	70.0	12
22.2	11.1	32.0	1060 29 9	70.0	12
25.4	12.7	32.0	1060 30 9	70.0	12


⚠ *Solid Carbide
6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Dish Carving Bit



øD	R	B	Code No.	L	ød	
12.7	3.0	12.7	1062 62 3	54	6	A
19.1	6.5	16.0	1062 63 3	60	6	B
	6.5	16.0	1062 63 9	67	12	C
28.6	6.5	16.0	1062 69 9	67	12	D
	10.0	12.7	1062 80 9	73	12	E

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



A. Ball Bearing
#191 003 0
1/4 x 1/2 x 3/16



B. Ball Bearing
#191 014 0
1/4 x 3/4 x 9/32




C. Ball Bearing
#191 020 0
1/2 x 3/4 x 5/32




D. Ball Bearing
#191 018 0
1/2 x 11/8 x 12



E. Ball Bearing
#191 944 0
15 x 28.6 x 8.5



Dish Carving Bit




øD	R	B	Code No.	L	ød
11.0	3.0	12.7	1060 60 3	54	6
12.7	3.0	12.7	1060 62 3	54	6
19.1	6.5	16.0	1060 63 3	60	6
	6.5	16.0	1060 63 9	67	12
28.6	6.5	16.0	1060 69 9	67	12
28.6	10.0	12.7	1060 80 9	73	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.





Plunge For Ogee Bit




øD	øD1	B	Code No.	R	L	ød
25.4	9.5	15.1	1473 05 9	4.8	53.2	12
30.2	11.9	15.1	1473 10 9	5.9	53.2	12

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian





Rounding Over Bit



øD	R	B	Code No.	L	ød
19.1	6.3	12.7	1170 01 3	41.0	6
	6.3	12.7	1170 01 5	44.5	8
22.2	7.9	14.3	1170 04 3	43.0	6
	7.9	14.3	1170 04 5	46.5	8
25.4	9.5	15.9	1170 07 3	44.0	6
	9.5	15.9	1170 07 5	47.5	8
15.9	4.8	11.1	1170 03 9	49.0	12
19.1	6.3	12.7	1170 01 9	51.0	12
22.2	7.9	14.3	1170 04 9	52.5	12
25.4	9.5	15.9	1170 07 9	54.0	12
34.9	12.7	25.4	1170 10 5	57.5	8
	12.7	25.4	1170 10 9	63.5	12
44.5	15.9	31.8	1170 13 5	63.5	8
	15.9	31.8	1170 13 9	70.0	12
50.8	19.1	36.5	1170 17 9	75.0	12


⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



øD	øD1	R	B	Code No.	L	ød
22	12	3	31	117 150 5	63	8
	12	3	31	117 150 9	69	12
30	12	6	35	117 155 5	67	8
	12	6	35	117 155 9	73	12
34	12	8	38	117 160 5	70	8
	12	8	38	117 160 9	76	12

⚠ Can be supplied with 1/2" shank.

Core Box Bit




øD	R	B	Code No.	L	ød
12.7	6.35	9.5	1062 12 3	51	6


⚠ Can be supplied with 1/4" shank.

Spare Parts:




Ball Bearing
#191 003 0
6.3 x 12.7 x 4.7






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian




Ogee Bit




øD	øD1	R	B	Code No.	L	ød
25.4	9.5	4.8	15.1	1373 02 9	53.2	12
30.2	11.9	5.9	15.1	1373 06 9	53.2	12

⚠ Can be supplied with 1/2" shank.




Round & Ogee Bit




øD	R1	R2	B	Code No.	L	ød
41.5	9.5	19	18	1373 02 9	56	12
50.0	16.0	30	18	1373 06 9	56	12

⚠ Can be supplied with 1/2" shank.





Round & Ogee Bit




øD	R1	R2	B	Code No.	L	ød
40	4	22	20	1373 04 9	58	12

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating





Carving



Corian



Beading Bit





øD	R	B	Code No.	L	ød
9.8	2.5	9	1270 01 3	49	6
	2.5	9	1270 01 5	49	8
12.7	3.0	10	1270 02 3	48	6
19.1	3.0	10	1270 04 3	51	6
20.0	4.0	9	1270 05 3	38	6
	4.0	9	1270 05 5	41	8
22.0	5.0	12	1270 06 3	55	6
	5.0	12	1270 06 5	44	8
24.0	6.0	11	1270 07 5	43	8
26.0	7.0	12	1270 10 3	41	6
	7.0	12	1270 10 5	44	8
28.6	8.0	14	1270 08 3	58	6
	8.0	14	1270 08 5	46	8
28.6	8.0	14	1270 08 9	68	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Beading Bit



øD	R	B	Code No.	L	ød	
12.7	3	10	1272 02 3	48	6	A
19.1	3	10	1272 04 3	51	6	B
22.0	5	12	1272 06 3	55	6	C
	5	12	1272 06 5	58	8	C
28.6	8	14	1272 08 3	58	6	D
	8	14	1272 08 5	61	8	D
	8	14	1272 08 9	68	12	D

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



A. Ball Bearing
#191 003 0
12.7x6.3x4.7




B. Ball Bearing
#191 014 0
19x6.3x7





C. Ball Bearing
#191 013 0
22x8x7



D. Ball Bearing
#1910180
28.5x12.78





Traditional Bit




øD	R	B	Code No.	L	ød
12.7	2.0	10.5	1280 01 5	52	8
19.1	3.5	11.1	1280 04 5	52	8
	3.5	11.1	1280 04 9	68	12

⚠ 12mm can be supplied with 1/2" shank.






Grooving
& Sizing




**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian




Round Over Bit




øD	R	B	Code No.	L	ød
44.5	18.3	18.3	1173 02 9	56.3	12
41.3	25.4	18.3	1173 04 9	56.3	12

⚠ Can be supplied with 1/2" shank.




Ogee Bit - Flat Bottom




øD	R	B	Code No.	L	ød
12.7	2.0	9.5	1300 04 3	51	6
	2.0	9.5	1300 04 5	51	8
	3.5	12.7	1300 07 3	53	6
19.1	3.5	12.7	1300 07 5	53	8
	3.5	12.7	1300 07 9	68	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.





Classical Bit




øD	R1	R2	B	Code No.	L	ød
12.7	2.5	3.5	10.5	1310 01 3	51	6
	2.5	3.5	10.5	1310 01 5	51	8
	3.7	4.0	12.7	1310 04 3	54	6
19.1	3.7	4.0	12.7	1310 04 5	54	8
	3.7	4.0	12.7	1310 04 9	70	12
	5.0	6.3	16.5	1310 07 5	57	8
25.4	5.0	6.3	16.5	1310 07 9	73	12
	6.3	6.3	19.1	1310 09 9	76	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian




Ogee Bit - Flat Bottom




øD	R	Code No.	B	L	ød
12.7	2.0	1300 04 3	9.5	51	6
	2.0	1300 04 5	9.5	51	8
19.1	3.5	1300 07 3	12.7	53	6
	3.5	1300 07 5	12.7	53	8
	3.5	1300 07 9	12.7	68	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Paneling Groover



øD	R1	R2	Code No.	B	L	ød	
22	4.0	5.5	1312 05 3	12	52	6	A
	4.0	5.5	1312 05 5	12	55	8	A
35	6.5	10.0	1312 22 9	15	68	12	B

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:




A. Ball Bearing
1910130
8x22x7



B. Ball Bearing
1910190
15x35x11



Paneling Flat Bottom Groover



øD	R	Code No.	B	L	ød	
22	3.5	1352 05 3	11.1	51	6	A
	3.5	1352 05 5	11.1	54	8	A
35	5.0	1352 22 9	14.3	67	12	B

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:




A. Ball Bearing
#191 013 0
8x22x7




B. Ball Bearing
191 019 0
15x35x11






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian




Ogee Bit




øD	R	Code No.	B	L	ød
27	6	1370 04 3	12	52	6
	6	1370 04 5	12	52	8
	6	1370 04 9	12	57	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.




Ogee Bit - Flat Bottom




øD	R	Code No.	B	L	ød
25.4	3.2	1470 06 3	9.5	49	6
	3.2	1470 06 5	9.5	49	8
	3.2	1470 06 9	9.5	49	12
	3.2	1470 10 9	9.5	59	12

⚠ 6mm can be supplied with 1/4" shank.
12mm can be supplied with 1/2" shank.




Ball Groovers




øD	øD1	R	Code No.	L	ød
12.7	6.35	6.35	1066 04 9	58	12
16.0	7.0	8.0	1066 07 9	63	12
19.0	8.0	9.5	1066 10 9	64	12
22.2	8.0	11.1	1066 13 9	68	12
25.4	8.7	12.7	1066 16 9	70	12
28.6	10.3	14.3	1066 19 9	74	12
32.0	11.1	16.0	1066 22 9	75	12

⚠ 12mm can be supplied with 1/2" shank.






Grooving
& Sizing




**Profiling &
Chamfering**





Jointing &
Rebating





Carving



Corian






T - Slotter Bit



øD	øD1	Code No.	B1	B2	L	ød
28	9.5	1460 20 6	20.7	8.0	60	9.5
	9.5	1460 20 9	20.7	8.0	66	12.0
35	12.7	1460 23 9	22.2	9.5	65	12.0

⚠ Can be supplied with 1/2" shank.





øD	øD1	Code No.	B1	B2	L	ød
30	10.5	1460 70 9	17	7	60	12

⚠ Can be supplied with 1/2" shank.





T - Slotter Radius Bit




øD	øD1	Code No.	B1	B2	R	L	ød
40.8	9.7	1460 14 6	20.7	4	2	52	9.5
28.8	11.1	1460 10 6	20.7	4	2	52	9.5
	11.1	1460 10 9	20.7	4	2	55	12.0

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Rounding - Over Bit



øD	R	B	Code No.	L	ød	n
15.9	1.7	7.9	1090 01 3	47.0	6	
	1.7	7.9	1090 01 5	50.0	8	
19.1	3.2	9.5	1090 04 3	50.0	6	
	3.2	9.5	1090 04 5	53.0	8	
20.7	4.0	9.5	1090 05 3	49.5	6	
	4.0	9.5	1090 05 5	53.0	8	
22.2	4.8	12.7	1090 07 3	52.0	6	
	4.8	12.7	1090 07 5	55.5	8	
25.4	6.3	12.7	1090 10 3	51.5	6	
	6.3	12.7	1090 10 5	55.0	8	
28.6	7.9	13.5	1090 13 3	53.0	6	
	7.9	13.5	1090 13 5	56.0	8	
31.8	9.5	15.9	1090 16 3	55.5	6	
	9.5	15.9	1090 16 5	59.0	8	
35.4	11.1	17.0	1090 50 3	57.0	6	
	11.1	17.0	1090 50 9	66.0	8	
38.1	12.7	19.1	1090 19 3	58.0	6	
	12.7	19.1	1090 19 5	61.0	8	
15.9	1.7	7.9	1090 01 9	57.0	12	
19.1	3.2	9.5	1090 04 9	59.0	12	
20.7	4.0	9.5	1090 05 9	59.0	12	
22.2	4.8	12.7	1090 07 9	62.0	12	
25.4	6.3	12.7	1090 10 9	62.0	12	
28.6	7.9	13.5	1090 13 9	62.0	12	
31.8	9.5	15.9	1090 16 9	65.0	12	
38.1	12.7	19.1	1090 19 9	67.0	12	
41.3	14.3	20.0	1090 20 9	70.0	12	
44.5	15.9	22.2	1090 22 9	71.0	12	
50.8	19.1	25.4	1090 25 9	75.0	12	
57.1	22.2	29.4	1090 26 9	79.0	12	
63.5	25.4	31.8	1090 28 9	91.5	12	
69.9	28.6	34.9	1090 30 9	95.0	12	18,000
76.3	31.8	38.1	1090 31 9	98.0	12	18,000
82.5	35.0	41.3	1090 33 9	101.0	12	16,000
88.9	38.1	44.5	1090 34 9	105.0	12	16,000


Max.
RPM


⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Ovolo Bit



øD	R	B	Code No.	L	ød	n
15.9	1.7	7.9	1190 01 3	47.0	6	
	1.7	7.9	1190 01 5	50.0	8	
19.1	3.2	9.5	1190 04 3	50.0	6	
	3.2	9.5	1190 04 5	53.0	8	
20.7	4.0	9.5	1190 05 3	49.5	6	
	4.0	9.5	1190 05 5	53.0	8	
22.2	4.8	12.7	1190 07 3	52.0	6	
	4.8	12.7	1190 07 5	55.5	8	
25.4	6.3	12.7	1190 10 3	51.5	6	
	6.3	12.7	1190 10 5	55.0	8	
28.6	7.9	13.5	1190 13 3	53.0	6	
	7.9	13.5	1190 13 5	56.0	8	
31.8	9.5	15.9	1190 16 3	55.5	6	
	9.5	15.9	1190 16 5	59.0	8	
35.4	11.1	17.0	1190 50 3	57.0	6	
	11.1	17.0	1190 50 9	66.0	8	
38.1	12.7	19.1	1190 19 3	58.0	6	
	12.7	19.1	1190 19 5	61.0	8	
15.9	1.7	7.9	1190 01 9	57.0	12	
19.1	3.2	9.5	1190 04 9	59.0	12	
20.7	4.0	9.5	1190 05 9	59.0	12	
22.2	4.8	12.7	1190 07 9	62.0	12	
25.4	6.3	12.7	1190 10 9	62.0	12	
28.6	7.9	13.5	1190 13 9	62.0	12	
31.8	9.5	15.9	1190 16 9	65.0	12	
38.1	12.7	19.1	1190 19 9	67.0	12	
41.3	14.3	20.0	1190 20 9	70.0	12	
44.5	15.9	22.2	1190 22 9	71.0	12	
50.8	19.1	25.4	1190 25 9	75.0	12	
57.1	22.2	29.4	1190 26 9	79.0	12	
63.5	25.4	31.8	1190 28 9	91.5	12	
69.9	28.6	34.9	1190 30 9	95.0	12	18,000
76.3	31.8	38.1	1190 31 9	98.0	12	18,000
82.5	35.0	41.3	1190 33 9	101.0	12	16,000
88.9	38.1	44.5	1190 34 9	105.0	12	16,000


Max.
RPM

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:




Ball Bearing
#191 004 0
9.5x4.7x3



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Ovolo Bit



øD	R	B	Code No.	L	ød	n
16.7	2	7.7	1199 01 3	47.5	6	
	2	7.7	1199 01 5	51.0	8	
18.7	3	9.5	1199 04 3	49.5	6	
	3	9.5	1199 04 5	53.0	8	
22.7	5	12.0	1199 07 3	52.0	6	
	5	12.0	1199 07 5	55.5	8	
24.7	6	12.0	1199 10 3	51.5	6	
	6	12.0	1199 10 5	55.0	8	
28.7	8	13.5	1199 13 3	53.5	6	
	8	13.5	1199 13 5	57.0	8	
32.7	10	16.0	1199 16 3	55.5	6	
	10	16.0	1199 16 5	59.0	8	
36.7	12	17.5	1199 19 3	57.5	6	
	12	17.5	1199 19 5	61.0	8	
32.7	10	16.0	1199 16 9	65.0	12	
	12	17.5	1199 19 9	67.0	12	
42.0	15	21.2	1199 22 9	70.0	12	
48.7	18	25.7	1199 25 9	72.5	12	
52.7	20	25.4	1199 26 9	74.0	12	
62.7	25	31.2	1199 28 9	90.5	12	
72.6	30	38.7	1199 31 9	98.0	12	18,000
82.7	35	42.0	1199 33 9	91.0	12	16,000

Max.
RPM


⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



Ball Bearing
#191 004 0
9.5x4.7x5

Rounding - Over Bit



øD	R	B	Code No.	L	ød
25	3	20	1093 01 9	68	12
28	6	20	1093 02 9	68	12
32	8	30	1093 03 9	78	12
36	10	30	1093 04 9	78	12

⚠ Can be supplied with 1/2" shank.

Spare Parts:



T.C. Blade
#310 930 3
R3x1.5x9x20



T.C. Blade
#310 930 6
R6x1.5x9x20



T.C. Blade
#310 930 8
R8x1.5x15x30



T.C. Blade
#310 931 0
R10x1.5x15x30



Torx screw
#193 148 2
M4x5.6




Ball Bearing
#191 015 0
19x4.7x5




Ball Bearing
#191 010 0
5x16x5




Torx key
#194 101 5
T15



Grooving
& Sizing




**Profiling &
Chamfering**






Jointing &
Rebating




Carving



Corian



Flat Rounding - Over Bit





øD	R	B	Code No.	L	ød
30	12	10	1092 18 3	50.0	6
	12	10	1092 18 5	53.5	8
	12	10	1092 18 9	60.0	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



øD	R	B	Code No.	L	ød
30	12	10	1192 18 3	48.0	6
	12	10	1192 18 5	51.5	8
	12	10	1192 18 9	58.0	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



Ball Bearing
#191 004 0
9.5x4.7x3




5.51






Grooving & Sizing




Profiling & Chamfering



Jointing & Rebating






Carving



Corian

Matching Corner Round/Cove Bits



øD	R	B	Code No.	L	ød
28.5	6.3	13.7	1722 02 3	65.7	6
	6.3	13.7	1722 02 5	65.7	8
31.8	8.0	17.0	1722 03 3	69.0	6
	8.0	17.0	1722 03 5	69.0	8
34.8	9.5	20.0	1722 04 3	72.0	6
	9.5	20.0	1722 04 5	72.0	8



Can be supplied with 1/4" shank.

Spare Parts:



Ball Bearing
#191 024 0
8x16x5

øD	R	B	Code No.	L	ød
28.5	6.3	13.7	1722 12 3	64.7	6
	6.3	13.7	1722 12 5	64.7	8
31.8	8.0	17.0	1722 13 3	68.0	6
	8.0	17.0	1722 13 5	68.0	8
34.8	9.5	20.0	1722 14 3	71.0	6
	9.5	20.0	1722 14 5	71.0	8

Spare Parts:



Ball Bearing
#191 024 0
8x16x5



Ball Bearing *
#191 031 0
8x14x4




Sawing




Cutting



Drilling




Routing



Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Core Bit



øD	R	B	Code No.	L	ød
12.7	1.6	12.7	1120 02 3	51.0	6
	1.6	12.7	1120 02 5	54.0	8
15.9	3.2	12.7	1120 03 3	51.0	6
	3.2	12.7	1120 03 5	54.0	8
19.1	4.8	14.3	1120 01 3	51.0	6
	4.8	14.3	1120 01 5	54.0	8
22.2	6.3	14.3	1120 04 3	51.0	6
	6.3	14.3	1120 04 5	54.0	8
25.4	7.9	14.3	1120 07 3	51.0	6
	7.9	14.3	1120 07 5	55.0	8
28.6	9.5	14.3	1120 10 3	52.0	6
	9.5	14.3	1120 10 5	55.0	8
34.9	12.7	16.7	1120 13 3	55.0	6
	12.7	16.7	1120 13 5	55.0	8
12.7	1.6	12.7	1120 02 9	60.0	12
15.9	3.2	12.7	1120 03 9	60.0	12
19.1	4.8	14.3	1120 01 9	60.5	12
22.2	6.3	14.3	1120 04 9	60.5	12
25.4	7.9	14.3	1120 07 9	60.5	12
28.6	9.5	14.3	1120 10 9	60.5	12
34.9	12.7	16.7	1120 13 9	64.0	12
41.3	16.0	18.0	1120 15 9	65.0	12
57.1	22.2	31.8	1120 18 9	81.0	12


⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



Ball Bearing
#191 001 0
9.5x3x4

Wavy Edge Bit




øD	R	B	Code No.	L	ød
31.8	4	17.5	1133 04 3	57	6
	4	17.5	1133 04 5	61	8
	4	17.5	1133 04 9	67	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5



Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Roman Ogee Bit




øD	R	B	Code No.	L	ød
25.4	4.0	15.9	1130 01 3	54.0	6
	4.0	15.9	1130 01 5	57.0	8
34.9	6.3	20.0	1130 04 3	58.0	6
	6.3	20.0	1130 04 5	61.5	8
25.4	4.0	15.9	1130 01 9	63.0	12
34.9	6.3	20.0	1130 04 9	67.5	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 001 0
9.5x3x4



Classical Bit




øD	R	B	Code No.	L	ød
25.4	4.0	16	1340 01 3	54.0	6
	4.0	16	1340 01 5	57.5	8
34.9	6.3	20	1340 04 3	56.5	6
	6.3	20	1340 04 5	60.0	8
25.4	4.0	16	1340 01 9	63.5	12
34.9	6.3	20	1340 04 9	66.0	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 001 0
9.5x3x4



Classical Bit




øD	R	B	Code No.	L	ød
31.8	5	13	1200 01 3	53.0	6
	5	13	1200 01 5	56.5	8
38.1	6	16	1200 04 3	55.5	6
	6	16	1200 04 5	59.0	8
31.8	5	13	1200 01 9	62.5	12
38.1	6	16	1200 04 9	65.0	12


⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating





Carving



Corian



Classical Bit



øD	R	B	Code No.	L	ød	
28.6	4.0	12.7	1360 02 3	52.5	6	A
	4.0	12.7	1360 02 5	56.5	8	A
34.9	5.5	17.0	1360 01 3	57.0	6	A
	5.5	17.0	1360 01 5	60.5	8	A
28.6	4.0	12.7	1360 02 9	62.0	12	A
34.9	5.5	17.0	1360 01 9	66.0	12	A
28.6	4.0	12.7	1360 03 3	51.0	6	B
	4.0	12.7	1360 03 5	54.0	8	B
34.9	5.5	17.0	1360 04 3	55.0	6	B
	5.5	17.0	1360 04 5	58.0	8	B
28.6	4.0	12.7	1360 03 9	60.0	12	B
34.9	5.5	17.0	1360 04 9	65.0	12	B
38.1	6.3	19.1	1360 06 9	68.5	12	A
50.8	9.5	22.2	1360 08 9	72.0	12	A



6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:




A. Ball Bearing
#191 007 0
12.7x4.7x5



B. Ball Bearing
#191 004 0
9.5x4.7x3



Classical Moulding Bit



øD	R	B	Code No.	L	ød
47.3	6	23.8	1363 07 9	73	12





Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving




Corian



Ogee Fillet Bit



øD	R1	R2	Code No.	B	L	ød	
16.3	2.0	2	1380 05 3	9.5	47.0	6	C
	2.0	2	1380 05 5	9.5	50.5	8	C
28.6	4.5	4	1380 02 3	12.7	52.5	6	A
	4.5	4	1380 02 5	12.7	56.0	8	A
34.9	6.0	5	1380 01 3	17.5	57.0	6	A
	6.0	5	1380 01 5	17.5	60.5	8	A
28.6	4.5	4	1380 02 9	12.7	62.0	12	A
34.9	6.0	5	1380 01 9	17.5	67.0	12	A
28.6	4.5	4	1380 03 3	12.7	51.0	6	B
	4.5	4	1380 03 5	12.7	54.0	8	B
34.9	6.0	5	1380 04 3	17.5	56.0	6	B
	6.0	5	1380 04 5	17.5	59.0	8	B
28.6	4.5	4	1380 03 9	12.7	60.0	12	B
34.9	6.0	5	1380 04 9	17.5	65.0	12	B



⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



A. Ball Bearing
#191 0070
12.7x4.7x5




B. Ball Bearing
#191 0040
9.5x4.7x3



C. Ball Bearing
#191 0020
6.3x3x2.8

Classical Mould Bit





øD	R	Code No.	B	L	ød
51	8.5	1560 41 9	31	80	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 0070
12.7x4.7x5






Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Flat Ogee Bit




øD	R	Code No.	B	L	ød
28.6	4.8	1400 02 3	12.7	52.0	6
	4.8	1400 02 5	12.7	55.0	8
34.9	7.9	1400 01 3	15.9	55.0	6
	7.9	1400 01 5	15.9	58.0	8
28.6	4.8	1400 02 9	12.7	61.5	12
34.9	7.9	1400 01 9	15.9	65.0	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Ogee Fillet Bit



øD	R1	R2	Code No.	B	L	ød	
28.6	4.0	4.0	1350 02 3	12.7	52.5	6	A
	4.0	4.0	1350 02 5	12.7	56.0	8	A
34.9	6.0	5.0	1350 01 3	17.5	56.5	6	A
	6.0	5.0	1350 01 5	17.5	60.0	8	A
28.6	4.5	4.0	1350 02 9	12.7	62.0	12	A
34.9	6.0	4.8	1350 01 9	17.5	66.0	12	A
38.0	4.7	8.0	1350 07 9	16.0	65.0	12	A
51.0	9.5	9.5	1350 06 9	23.0	72.0	12	A
28.6	4.0	4.0	1350 03 3	12.7	51.0	6	B
	4.0	4.0	1350 03 5	12.7	54.0	8	B
34.9	6.0	5.0	1350 04 3	17.5	55.0	6	B
	6.0	5.0	1350 04 5	17.5	58.5	8	B
28.6	4.0	4.0	1350 03 9	12.7	60.0	12	B
34.9	6.0	4.8	1350 04 9	17.5	64.5	12	B
38.0	4.7	8.0	1350 08 9	16.0	65.0	12	B

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:




A. Ball Bearing
#191 007 0
12.7x4.7x5




B. Ball Bearing
#191 004 0
9.5x4.7x3






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating





Carving



Corian



Ogee Fillet Bit



øD	R	B	Code No.	L	ød	
34.9	4.0	13.5	1210 01 3	54.0	6	A
	4.0	13.5	1210 01 5	57.5	8	A
	4.0	13.5	1210 07 3	52.0	6	B
	4.0	13.5	1210 07 5	55.5	8	B
	4.0	13.5	1210 01 9	63.5	12	A
	4.0	13.5	1210 07 9	61.0	12	B
41.3	6.3	19.1	1210 04 9	69.0	12	A
	6.3	19.1	1210 10 9	67.0	12	B
57.2	9.5	25.4	1210 14 9	73.0	12	B
	9.5	25.4	1210 15 9	75.0	12	A

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:





A. Ball Bearing
#191 007 0
12.7x4.7x5



B. Ball Bearing
#191 004 0
9.5x4.7x3



Classic Cove Bit




øD	R	Code No.	B	L	ød
28.6	4.8	1390 02 3	12.7	52.0	6
	4.8	1390 02 5	12.7	55.5	8
34.9	7.9	1390 01 3	15.9	55.5	6
	7.9	1390 01 5	15.9	57.0	8
28.6	4.8	1390 02 9	12.7	61.5	12
34.9	7.9	1390 01 9	15.9	65.0	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Sunk Bead Bit



øD	R	Code No.	B	L	ød
25.4	4.8	1570 04 3	12.7	66	6
28.6	6.3	1570 08 3	15.9	69	6
34.5	9.5	1570 12 3	22.2	75	6


⚠ Can be supplied with 1/4" shank.

Spare Parts:




Ball Bearing
#191 015 0
6.3x16x5






Grooving
& Sizing




**Profiling &
Chamfering**





Jointing &
Rebating





Carving




Corian



Corner Bead Cutter



øD	R	Code No.	B	L	ød	
23.0	2.0	1241 05 3	10.3	50.0	6	B
22.2	3.2	1241 08 3	14.3	54.0	6	A
	3.2	1241 08 5	14.3	57.0	8	A
28.2	5.0	1241 11 3	16.5	57.0	6	B
	5.0	1241 11 5	16.5	57.0	8	B
31.8	6.3	1241 13 3	19.1	58.0	6	B
	6.3	1241 13 5	19.1	60.0	8	B
22.2	3.2	1241 08 9	13.5	63.5	12	A
28.2	4.8	1241 11 9	16.5	66.5	12	B
31.8	6.3	1241 13 9	19.1	68.0	12	B
38.1	9.5	1241 17 9	25.4	75.0	12	B



⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:




A. Ball Bearing
#191 007 0
12.7x4.7x5



B. Ball Bearing
#191 010 0
16x5x5

Torus Bit




øD	R	Code No.	B	L	ød
37.2	13.5	1244 20 9	40	89	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 010 0
5x16x5






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian




Bull Nose Bit




øD	R	Code No.	B	L	ød	n
13.5	2.0	1240 01 3	12.7	41.3	6	
	2.0	1240 01 5	12.7	45.0	8	
15.1	2.8	1240 04 3	12.7	41.3	6	
	2.8	1240 04 5	12.7	45.0	8	
16.7	3.6	1240 07 3	19.1	47.6	6	
	3.6	1240 07 5	19.1	51.0	8	
22.2	5.2	1240 10 3	19.1	47.6	6	
	5.2	1240 10 5	19.1	51.0	8	
26.2	6.8	1240 13 3	25.4	54.0	6	
	6.8	1240 13 5	25.4	57.5	8	
13.5	2.0	1240 01 9	12.7	55.0	12	
15.1	2.8	1240 04 9	12.7	51.0	12	
16.7	3.6	1240 07 9	19.1	57.0	12	
22.2	5.2	1240 10 9	19.1	57.0	12	
26.1	6.8	1240 13 9	25.4	63.5	12	
28.0	7.9	1240 15 9	25.4	63.5	12	
33.3	9.5	1240 17 9	33.7	72.0	12	
42.0	12.7	1240 20 9	39.7	78.0	12	
50.8	15.9	1240 23 9	50.0	88.0	12	
60.3	19.1	1248 26 9-3T	50.8	88.0	12	18,000

Max.
RPM

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Bull Nose Bit



øD	R	Code No.	B	L	ød	
26.2	6.8	1243 13 9	26	75	12	A
35.0	9.5	1243 17 9	34	84	12	B
44.5	12.7	1243 20 9	40	93	12	C
50.8	15.8	1243 23 9	50	103	12	C

⚠ Can be supplied with 1/2" shank.

Spare Parts:




A. Ball Bearing
#191 007 0
12.7x4.7x5




B. Ball Bearing
#191 010 0
16x5x5




C. Ball Bearing
#191 014 0
19x6.3x7







Grooving
& Sizing




**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian



Plunge Template Bull Nose Bit




øD	R	Code No.	B	B1	L	ød
28.5	12.7	1240 51 9	40	22.2	92	12
	12.7	1242 51 9 *	40	22.2	92	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing *
#191 018 0
28.6x12.7x8





Flat Bull Nose Bit




øD	R	Code No.	B	B1	L	ød
20	18	1242 04 3	32	21.3	62	6
	18	1242 04 5	32	21.3	64	8
	18	1242 04 9	32	21.3	70	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Adjustable Set - Round Over



	R	Code No.	øD	B Min.	B Max	L	ød
Complete	4.8	158 000 9	38.1	9.5	38	96	12
Top Cutter	4.8	158 094 0					
Bottom Cutter	4.8	158 095 0					

	R	Code No.	øD	B Min.	B Max	L	ød
Complete	6.35	158 100 9	40.7	12.7	36	96	12
Top Cutter	6.35	158 064 0					
Bottom Cutter	6.35	158 063 0					

	R	Code No.	øD	B Min.	B Max	L	ød
Complete	9.6	158 200 9	47.2	19	36	96	12
Top Cutter	9.6	158 084 0					
Bottom Cutter	9.6	158 083 0					

⚠ Can be supplied with 1/2" shank.

Spare Parts:



Arbor & Nut
#190 009 9
L=96



Ball Bearing
#191 016 0
8x28x9



Washer
#192 011 0
1x16



Spacer
#192 016 0
6x16



Spacer
#192 015 0
3x16




Spacer
#192 011 0
1x16



Spacer
#192 013 0
0.5x16

Adjustable Set - Dual Radius



	R	Code No.	øD	B Min.	B Max	L	ød
Complete	4.8/6.3	158 300 9	34.8	9.5/12.7	35/38	108	12
Top Cutter	4.8/6.3	158 302 0					
Bottom Cutter	4.8/6.3	158 301 0					

⚠ Can be supplied with 1/2" shank.

Spare Parts:



Arbor & Nut
#190 011 9
L=108



Ball Bearing
#191 013 0
8x22x7



Washer
#192 011 0
1x16



Spacer
#192 016 0
6x16



Spacer
#192 015 0
3x16




Spacer
#192 011 0
1x16




Spacer
#192 013 0
0.5x16




Spacer
#192 100 0
0.1x16






Grooving
& Sizing




**Profiling &
Chamfering**






Jointing &
Rebating




Carving



Corian



Adjustable Set - Chamfer



	a°	Code No.	øD	B Max	L	ød
Complete	45°/30°	158 400 9	34.8	42/35	108	12
Top Cutter	45°/30°	158 401 0	34.8			
Bottom Cutter	45°/30°	158 402 0	34.8			

⚠ Can be supplied with 1/2" shank.

Spare Parts:



Arbor & Nut
#190 011 9
L=108



Ball Bearing
#191 013 0
8x22x7



Washer
#192 011 0
1x16



Spacer
#192 016 0
6x16



Spacer
#192 015 0
3x16



Spacer
#192 011 0
1x16




Spacer
#192 013 0
0.5x16



Spacer
#192 100 0
0.1x16



Double Bead Bit




øD	R	Code No.	B	L	ød
22.2	3	1243 08 9	19.1	69	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 010 0
5x16x5






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Triple Bead Bit



øD	R	Code No.	B	L	ød
22.2	3	1243 32 3	25.4	65	6
	3	1243 32 9	25.4	74	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 010 0
5x16x5



Flat Sunk Bead Bit



øD	R	Code No.	B	L	ød
19.1	8.0	1623 02 9	12.7	70	12
22.2	12.0	1623 04 9	19.1	78	12
	19.5	1623 05 9	25.4	85	12
25.4	32.0	1623 06 9	38.1	98	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5




Reed Edge Mould Bit




øD	R1	R2	Code No.	B	L	ød
19.1	2	6	1243 09 3	25.4	55	6

⚠ Can be supplied with 1/4" shank.






Grooving
& Sizing



**Profiling &
Chamfering**




Jointing &
Rebating




Carving



Corian



Sunk Bead Bit



øD	R	Code No.	B	L	ød
19.1	3.2	1622 02 3	6.4	57	6
22.7	5.0	1622 05 3	10.0	61	6

⚠ Can be supplied with 1/4" shank.


Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5



Ball Bearing
#191 003 0
12.7x6.3x4.7



Sunk Bead Bit




øD	R	Code No.	B	L	ød
20.7	4.0	1620 04 3	8	47	6
22.7	5.0	1620 05 3	10	49	6
24.7	6.0	1620 06 3	12	51	6
27.7	7.5	1620 07 9	15	70	12
32.7	10.0	1620 10 9	20	75	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5





Window Sill Edge Bit




øD	øD1	Code No.	B	L	ød
50.8	19.1	1480 40 9	32	70	12

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian



Finger Grip Bit




øD	R	Code No.	B	L	ød
19.1	6.5	1320 01 3	6.3	44.5	6
	6.5	1320 01 5	6.3	44.5	8
25.4	9.5	1320 04 3	9.5	44.5	6
	9.5	1320 04 5	9.5	44.5	8

⚠ Can be supplied with 1/4" shank.




Finger Grip Bit




øD	D1	Code No.	B	B1	R	L	ød
19.1	10	1480 19 5	19.1	14.3	4.8	54.5	8
	10	1480 19 9	19.1	14.3	4.8	57.5	12
38.1	17	1480 31 5	21.0	18.0	6.0	53.0	8
	17	1480 31 9	21.0	18.0	6.0	59.0	12
45.0	17	1480 37 9	21.0	17.2	4.8	59.0	12

⚠ Can be supplied with 1/2" shank.





Finger Grip Bit




øD	R	Code No.	B	L	ød
28	6.35	1320 01 3	12.7	41	6

⚠ Can be supplied with 1/4" shank.






Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Set of Stile & Rail Bit



øD	Code No.	B	B1	R	L	ød	
Set No.	1490 75 3						
27.5	1490 73 3	11.5	6	6	50	6	A
30.7	1492 74 3	9.0	6	6	47	6	B

⚠ Can be supplied with 1/4" shank.




Spare Parts:




A. Ball Bearing
#1910010
9.5x3x4



B. Ball Bearing
#1910030
12.7x6.3x4.7



Flat Bull - Nose Bead Bit




øD	R	Code No.	B	L	ød
30	6	1560 44 9	35	84.5	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 010 0
5x16x5






Grooving
& Sizing




**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian



Bull Nose Mould Bit




øD	R	Code No.	B	L	ød
40	4	1560 53 9	27	76	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 010 0
5x16x5



Profile Edge Mould Bit




øD	R	Code No.	B	L	ød
28	6	1243 01 9	25	74	12
32	8	1243 04 9	30	79	12
35	13	1243 05 9	40	89	12

⚠ Can be supplied with 1/2" shank.


Spare Parts::



Ball Bearing
#191 010 0
5x16x5



Decorative Bead Bit





øD	R	Code No.	B	L	ød
42	4	1566 02 9	40	89	12


⚠ Can be supplied with 1/2" shank.

Spare Parts::




Ball Bearing
#191 010 0
5x16x5






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian



Classic Corner Bead Bit




øD	R	Code No.	B	L	ød
50.8	6.5	1560 40 9	25.4	75	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Profile Edge Mould Bit




øD	R	Code No.	B	L	ød
38.1	3	1560 56 9	30	79	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 010 0
5x16x5



Frame Edge Profiling Bit




øD	Code No.	B	B1	L	ød
45	1563 06 9	25.4	6.35	75	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 006 0
16x4.7x5






Grooving
& Sizing



**Profiling &
Chamfering**




Jointing &
Rebating




Carving



Corian



Face Moulding Bit




øD	R	Code No.	B	L	ød
43.5	3	1560 50 9	38.1	87	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 010 0
5x16x5



Frame Edge Profiling Bit




øD	R	Code No.	B	B1	L	ød
44.5	75	1563 07 9	25.4	9.4	2.5	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Plant Mould Bit




øD	R	Code No.	B	L	ød
35	5	1560 47 9	38.1	87	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 010 0
5x16x5






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Face Moulding Bit




øD	R	Code No.	B	L	ød
26	3.5	1563 03 9	25.4	74	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Face Moulding Bit




øD	R	Code No.	B	L	ød
24	3.5	1560 09 9	39	89	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Face Moulding Bit




øD	R1	R2	Code No.	B	L	ød
35	2.5	3.2	1563 04 9	45	94	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian



Face Moulding Bit




øD	R1	R2	Code No.	B	L	ød
34.7	6.5	3.2	1563 01 9	41.5	90.5	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Face Moulding Bit




øD	R1	R2	Code No.	B	L	ød
25.4	4	8	1560 06 9	38.1	87	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
3/16x1/2x5






Grooving
& Sizing




**Profiling &
Chamfering**




Jointing &
Rebating




Carving



Corian



Face Moulding Bit




øD	R1	R2	Code No.	B	L	ød
35	6.5	3.2	1563 02 9	41.5	91	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Face Moulding Bit



øD	R	Code No.	B	L	ød
25.4	3.5	1560 21 9	45	94	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing




**Profiling &
Chamfering**




Jointing &
Rebating




Carving



Corian



Face Moulding Bit




øD	R	Code No.	B	L	ød
27	3	1560 13 9	45	94	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Face Moulding Bit



øD	B	Code No.	L	ød
35	44.5	1563 08 9	94	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing



**Profiling &
Chamfering**




Jointing &
Rebating




Carving



Corian



Face Moulding Bit




øD	R	Code No.	B	L	ød
22	4	1560 07 9	38	87	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Decorative Moulding Bit



øD	R1	R2	Code No.	B	L	ød	
20.7	2.0	2	1566 04 9	15.0	64.3	12	A
32.0	4.0	4	1566 05 9	23.0	72.0	12	B
40.0	5.5	5	1566 03 9	30.0	79.0	12	B

⚠ Can be supplied with 1/2" shank.


Spare Parts:




A. Ball Bearing
#191 007 0
12.7x4.7x5



B. Ball Bearing
#191 100 0
16x5x5



French Provincial Bit




øD	R1	R2	R3	Code No.	B	L	ød
41.3	6.35	9.5	3.2	1560 34 9	28.5	78	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing



**Profiling &
Chamfering**




Jointing &
Rebating




Carving



Corian



Decorative and Jointer Bit



øD	R	Code No.	B	L	ød	
25.4	3.2	1560 37 3	16.5	57	6	A
31.8	4.8	1560 38 3	25.4	64	6	A
	4.8	1560 38 9	25.4	74	12	A
50.8	6.5	1560 39 9	32.0	80	12	B

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Spare Parts:




A. Ball Bearing
#191 007 0
12.7x4.7x5



B. Ball Bearing
#191 010 0
16x5x5



Classical Elegant Mould Bit




øD	R1	R2	R3	Code No.	B	L	ød
59	6.5	6.5	7.5	1650 10 9	22	71	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing




**Profiling &
Chamfering**




Jointing &
Rebating




Carving



Corian



Multi - Profile Bit



øD	R1	R2	R3	R4	Code No.	B	L	ød	n
54	9	9	8.5	6.3	1660 06 9	47	97	12	18,000

⚠ Can be supplied with 1/2" shank.

Max.
RPM


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5




Cornice Profiling Bit




øD	B	Code No.	L	ød
32	58	1560 05 9	96	12

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing




**Profiling &
Chamfering**




Jointing &
Rebating





Carving



Corian



Cornice Profiling Bit




øD	B	Code No.	L	ød
32	58	1560 04 9	96	12

⚠ Can be supplied with 1/2" shank.




Cornice Profiling Bit




øD	B	Code No.	L	ød
32	58	1560 11 9	96	12

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing



**Profiling &
Chamfering**




Jointing &
Rebating




Carving



Corian



Cornice Profiling Bit




øD	B	Code No.	L	ød
32	58	1560 08 9	96	12

⚠ Can be supplied with 1/2" shank.




Cornice Profiling Bit




øD	B	Code No.	L	ød
31.4	58	1560 03 9	96	12

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian



Handrail Bit




øD	B	Code No.	L	ød
32	38	1630 11 9	87	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 010 0
5x16x5



Handrail Bit




øD	R	B	Code No.	L	ød
35	3.2	37	1630 04 9	86	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Thumbnail Bit



øD	R	B	Code No.	L	ød	n	Max. RPM
69.2	43	16	1092 28 9	76	12	18,000	A
	43	16	1192 28 9	74	12	18,000	B

⚠ Can be supplied with 1/2" shank.


Spare Parts:




A. Ball Bearing
#191 007 0
12.7x4.7x5




B. Ball Bearing
#191 004 0
9.5x4.7x3




Max.
RPM






Grooving
& Sizing




**Profiling &
Chamfering**




Jointing &
Rebating




Carving



Corian



Handrail Bit




øD	B	Code No.	L	ød
32	38	1630 12 9	87	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 010 0
5x16x5



Classical Bit




øD	R	B	Code No.	L	ød
63.5	6.5	20	1650 07 9	69	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Traditional Bit




øD	R	B	Code No.	L	ød
63.5	9.5	20	1650 04 9	69	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian



Classic Elegant Bit



øD	B	Code No.	L	ød	n
66	20	1650 13 9	69	12	18,000


⚠ Can be supplied with 1/2" shank.

Max.
RPM


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5




Raised Panel Bit




øD	a	B	Code No.	L	ød
28.6	30°	12.7	1290 01 9	69	12

⚠ Can be supplied with 1/2" shank.




Raised Panel Bit




øD	a	B	Code No.	L	ød	n
67.7	25°	19.1	1291 07 9	57	12	18,000


⚠ Can be supplied with 1/2" shank.

Max.
RPM






Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Raised Panel Bit




øD	a	B	Code No.	L	ød
41.3	25°	12.7	1230 01 9	62	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Raised Panel Bit



øD	a	B	Code No.	L	ød	n
85.8	15°	12.7	1221 04 9	71	12	16,000


⚠ Can be supplied with 1/2" shank.

Max.
RPM


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Raised Panel Bit



øD	R	B	Code No.	L	ød	n
85.8	40	12.7	1222 07 9	71.5	12	16,000


⚠ Can be supplied with 1/2" shank.

Max.
RPM


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Raised Panel Bit



øD	R	B	Code No.	L	ød	n
66.6	19	17.0	1220 01 9	76.1	12	
85.7	22	15.9	1220 12 9	75.0	12	16,000


⚠ Can be supplied with 1/2" shank.


Max.
RPM

Spare Parts:




Ball Bearing
#191 007 0
12.7x4.7x5






Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Raised Panel Bit




øD	R	B	Code No.	L	ød
63.5	3	12.7	1223 11 9	72	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 007 0
12.7x4.7x5



Raised Panel Bit



	øD	a	R	Code No.	B	L	ød	n
Complete	85.8			122 904 9	27.5	83.4	12	12,000
Profile cutter	85.8	15.0		122 504 9	12.7	83.4	12	
Cutter	54.0		7.9	122 501 0	7.9			

⚠ Can be supplied with 1/2" shank.

Max.
RPM

Spare Parts:



Ball Bearing
#191 024 0
16x8x5



Ball Bearing
#191 971 0
31.7x8x6.2



Spacer
#192 018 0
1x12




Spacer
#192 013 5
0.5x12




Spacer
#192 120 0
0.05x12



Spacer
#192 115 0
0.1x12



Raised Panel Bit



	øD	R	R1	Code No.	B	L	ød	n
Complete	85.8			122 907 9	27.5	83.4	12	12,000
Profile cutter	85.8	40.0		122 507 9	12.7	83.4	12	
Cutter	54.0		7.9	122 501 0	7.9			

⚠ Can be supplied with 1/2" shank.

Max.
RPM

Spare Parts:



Ball Bearing
#191 024 0
16x8x5



Ball Bearing
#191 971 0
31.7x8x6.2



Spacer
#192 018 0
1x12




Spacer
#192 013 5
0.5x12




Spacer
#192 120 0
0.05x12



Spacer
#192 115 0
0.1x12






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating





Carving



Corian



Raised Panel Bit



	øD	B	Code No.	L	ød	n
Complete	85.8	30.7	122 912 9	87.1	12	12,000
Profile cutter	85.8	15.9	122 512 9	87.1	12	
Cutter	54.0	7.9	122 501 0			

⚠ Can be supplied with 1/2" shank.



Spare Parts:



Ball Bearing
#191 024 0
16x8x5



Ball Bearing
#191 971 0
31.7x8x6.2



Spacer
#192 018 0
1x12




Spacer
#192 013 5
0.5x12





Spacer
#192 120 0
0.05x12



Spacer
#192 115 0
0.1x12




Vertical Paneling Bit





øD	B	Code No.	a	L	ød
28.6	41.3	1224099	15	79.3	12

⚠ Can be supplied with 1/2" shank.





Vertical Paneling Bit




øD	B	Code No.	R	L	ød
28.6	41.3	1224079	40	79.3	12

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing



**Profiling &
Chamfering**





Jointing &
Rebating




Carving



Corian




Vertical Paneling Bit




øD	B	Code No.	L	ød
30	41.3	1224089	79.3	12

⚠ Can be supplied with 1/2" shank.





Vertical Paneling Bit




øD	B	Code No.	L	ød
30	41.3	1224059	79.3	12

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Rebating Bit



øD	B	Code No.	t	L	ød	
24.0	12.7	1140 05 3	4.0	53.0	6	B
	12.7	1140 01 3	9.5	51.5	6	A
31.8	12.7	1140 01 5	9.5	55.0	8	A
	12.7	1140 01 9	9.5	61.0	12	A
	12.7	1140 06 3	11.1	52.0	6	A
35.0	12.7	1140 06 5	11.1	55.0	8	A
	12.7	1140 06 9	11.1	61.3	12	A

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.


Spare Parts:




A. Ball Bearing
#191 007 0
4.7x12.7 x5



B. Ball Bearing
#191 005 0
6.3x16x5



Rebating Bit



øD	B	Code No.	L	ød
	12.7	1144 06 3	52.0	6
35	12.7	1144 06 5	55.0	8
	12.7	1144 06 9	61.3	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.

Spare Parts:



A. Ball Bearing
#191 004 0
9.5x4.7x3




B. Ball Bearing
#191 007 0
12.7x4.7x5




C. Ball Bearing
#191 006 0
16x4.7x5




D. Ball Bearing
#191 150 0
19x4.7x5




- A t=12.7
- B t=11.1
- C t=9.5
- D t=8



Grooving
& Sizing



Profiling &
Chamfering






Jointing &
Rebating




Carving



Corian



Super - Rebate



øD	B	Code No.	L	ød	t
50.8	22.5	1146 10 9	78	12	15.9



Can be supplied with 1/2" shank.

Spare Parts:



Ball Bearing
#191 003 0
6.3x12.7x4.7



Washer
#195 001 0
3.25x7.5x1.0



Spacer
#192 027 0
6.5x9.5x2.2



Allen screw
#193 004 0
NC 5-1/2



Allen key
1940010
3/32

Selection of rings

øD1	Code No.	t
47.6	1929 90 0	1.6
44.4	1929 89 0	3.2
41.3	1929 88 0	4.7
38.9	1929 95 0	5.9
38.1	1929 87 0	6.3
34.9	1929 86 0	7.9
32.5	1929 94 0	9.1
31.7	1929 85 0	9.5
28.6	1929 84 0	11.1
27.0	1929 93 0	11.9
25.4	1929 83 0	12.7
22.2	1929 82 0	14.3
20.6	1929 92 0	15.1
19.0	1929 81 0	15.9
15.9	1929 80 0	17.4
14.3	1929 91 0	18.2




The best solution for rebating


For simple operation with the help of one basic tool and a series of rings of varying diameters, you can produce steps in the wood of different widths from 1.2mm to 19mm widths and up to 22mm (7/8") high.

The design of the tool is planned for strenuous work while ensuring the maximum safety of the user.


14.3	22.2	31.7	38.9
15.9	25.4	32.5	41.3
19.0	27.0	34.9	44.4
20.6	28.6	38.1	47.6



Grooving
& Sizing



Profiling &
Chamfering






Jointing &
Rebating




Carving



Corian



Dovetail Bit



øD	a	B	Code No.	L	ød
6.3	7°	8.0	1040 15 3 *	63.5	6
	7°	8.0	1040 15 5 *	44.0	8
8.0	9°	9.5	1040 24 3 *	63.5	6
	9°	9.5	1040 24 5 *	42.0	8
9.5	9°	9.5	1040 01 3	42.0	6
	9°	9.5	1040 01 5	47.0	8
12.7	14°	12.7	1040 04 3	44.5	6
	14°	12.7	1040 04 5	49.0	8
13.2	13°	13.0	1040 85 3	55.5	6
15.9	7°	15.9	1040 07 3	44.5	6
6.3	7°	8.0	1040 15 9 *	63.5	12
	9°	9.5	1040 01 9	54.0	12
12.7	14°	12.7	1040 04 9	60.0	12
	5°	19.1	1040 36 9	64.0	12
14.0	7°	15.9	1040 07 9	58.0	12
	7°	22.2	1040 10 9	65.0	12
15.9	5°	25.4	1040 37 9	68.0	12
	7°	22.2	1040 13 9	65.0	12
19.1	14°	19.1	1040 16 9	65.0	12
	7°	22.2	1040 19 9	60.0	12
22.2	14°	22.2	1040 22 9	67.0	12
	14°	25.4	1040 25 9	69.5	12
25.4	12°	14.3	1040 05 3	58.0	6
	12°	14.3	1040 05 5	61.0	8




* Solid Carbide

6mm shank can be supplied with 1/4" shank.

12mm shank can be supplied with 1/2" shank.


Spurs Dovetail Bit




øD	øD1	a	Code No.	B	L	ød
14.3	12.7	13°	1040 86 3	13.5	55	6
	12.7	13°	1040 86 5	13.5	58	8




Can be supplied with 1/4" shank.



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Dovetail Bit



øD	a	B	Code No.	L	ød	
12.7	14°	12.7	1042 04 3	56	6	A
14.6	12°	14.0	1042 05 3	60	6	A
8.7	7°	9.5	1042 51 3	58	6	B

⚠ Can be supplied with 1/4" shank.


Spare Parts:




A. Ball Bearing
#191 007 0
12.7x6.3x4.7



B. Ball Bearing
#191 005 0
16x6.3x5





Butterfly Spline Bit




øD	a	B	Code No.	L	ød
28	14°	46	1670 01 9	84	12

⚠ Can be supplied with 1/2" shank.
Use these cutters in conjunction with our 14° dovetail bits Code No.: 1040 04 3, 1040 03 9, 1040 16 9, 1040 22 9, 1040 25 9.





Locking Drawer Glue Joint




øD	øD1	Code No.	B	B1	L	ød
19.1	12.2	1490 01 3	12.7	4	49	6
25.4	18.5	1490 03 3	12.7	4	49	6
	18.5	1490 03 9	12.7	4	49	12

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.






Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating





Carving



Corian




Glue Joint Bit





øD	B	Code No.	L	ød
47	28	1490 13 9	66	12

⚠ Can be supplied with 1/2" shank.



45° Lock Mitre Joint Bit





øD	a	B	Code No.	L	ød	n
38.1	45°	12.7	1490 07 3	41.3	6	
41.7	45°	16.0	1490 05 3	44.6	6	
44.5	45°	20.0	1490 06 9	58.0	12	
67.0	45°	29.5	1490 04 9	68.0	12	18,000

⚠ 6mm shank can be supplied with 1/4" shank.
12mm shank can be supplied with 1/2" shank.



Max.
RPM


Wedge & Tongue Bit




øD	øD1	Code No.	a	B	B1	L	ød
Set No.		1490 50 9					
32.0	14	1490 51 9	15°	32	6.5	70	12
31.5	14	1490 52 9	15°	32	11.1	70	12

⚠ Can be supplied with 1/2" shank.






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating






Carving



Corian



Tongue & Groove Bevel Set



	øD	a	B	Code No.	L	ød
Complete	42.5	45°	30.5	1681 00 9	80	12
Profile Cutter	42.5	45°	9.0	1681 01 0		
rebating Cutter	33.5		17.5	1680 01 0		
Groover	46.0		4.0	1421 04 0		

⚠ Can be supplied with 1/2" shank.

Spare Parts:



Arbor & Nut
#190 005 9
L=80



Ball Bearing
#191 013 0
8x22x7



Ball Bearing
#191 945 0
8x33.5x8.6



Washer
#192 011 0
1X16



Spacer
#192 015 0
3X16



Spacer
#192 011 0
1X16



Spacer
#192 013 0
0.5X16




Spacer
#192 012 0
0.4X16






Spacer
#192 100 0
0.1X16



Spacer
#192 050 0
0.05X16



Tongue & Groove Round Set



	øD	R	Code No.	B	L	ød
Complete	49.0	6	1682 00 9	30.5	80	12
Profile Cutter	49.0	6	1682 01 0	9.0		
rebating Cutter	33.5		1680 01 0	17.5		
Groover	46.0		1421 04 0	4.0		

Spare Parts:



Arbor & Nut
#190 005 9
L=80



Ball Bearing
#191 013 0
8x22x7



Ball Bearing
#191 945 0
8x33.5x8.6



Washer
#192 011 0
1x16



Spacer
#192 015 0
3x16



Spacer
#192 011 0
1x16



Spacer
#192 100 0
0.1x16




Spacer
#192 050 0
0.05x16



Spacer
#192 013 0
0.5x16




Spacer
#192 012 0
0.4x16







NOVA Routing - Portable Machines



Grooving
& Sizing



Profiling &
Chamfering



Jointing &
Rebating



Carving



Corian

Index


Sawing




Cutting





Drilling



Routing



Slotting Cutter



øD	ød1	B	Code No.
40	6.35	1.5	1083 01 0
	6.35	2.0	1083 02 0
	6.35	2.5	1083 03 0
	6.35	3.0	1083 04 0
	6.35	4.0	1083 05 0
	6.35	5.0	1083 06 0
	6.35	6.0	1083 07 0
	6.0	1.5	1082 01 0 *
	6.0	2.0	1082 02 0 *
	6.0	2.5	1082 03 0 *
	6.0	3.0	1082 04 0 *
	6.0	4.0	1082 05 0 *
	6.0	5.0	1082 06 0 *
	6.0	6.0	1082 07 0 *



The Code No. refers to slotting cutters only. If you wish to order slotting cutters assembled on the arbor, change the last digit of the catalogue number according to the following arbor shaft sizes: 3=6.0mm, 4=1/4", 5=8.0mm, 8=1/2", 9=12mm.

Spare Parts:



Arbor & Nut
#190 010 3
L=55



Arbor & Nut
#190 010 5
L=58



Arbor & Nut
#190 010 9
L=64



Ball Bearing
#191 005 0
16x6.3x5





Arbor & Nut *
#190 020 3
L=52




Arbor & Nut *
#190 020 5
L=57




Ball Bearing *
#191 012 0
19x6x6






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating



Carving




Corian




Slotting Cutter


Two Wings



øD	ød1	B	Code No.
47.6	7.94	1.5	1080 51 0
	7.94	2.0	1080 54 0
	7.94	2.5	1080 57 0
	7.94	3.0	1080 60 0
	7.94	4.0	1080 63 0
	7.94	5.0	1080 67 0
	7.94	6.0	1080 70 0



Three Wings



øD	ød1	B	Code No.
47.6	7.94	1.5	1080 73 0
	7.94	2.0	1080 76 0
	7.94	2.5	1080 79 0
	7.94	3.0	1080 82 0
	7.94	4.0	1080 85 0
	7.94	5.0	1080 88 0
	7.94	6.0	1080 91 0



The Code No. refers to slotting cutters only. If you wish to order slotting cutters assembled on the arbor, change the last digit of the catalogue number according to the following arbor shaft sizes: 3=6.0mm, 4=1/4", 5=8.0mm, 8=1/2".

Spare Parts:



Arbor & Nut
#190 004 3
L=67





Arbor & Nut
#190 004 5
L=70




Arbor & Nut
#190 004 9
L=76




Ball Bearing
#191 013 0
22x8x7






Grooving
& Sizing



Profiling &
Chamfering






Jointing &
Rebating





Carving



Corian



Quadriset - Slotting Cutter



	øD	B	Code No.	L	ød
Complete	47.6	18.0	1084 00 9	76.2	12.00
Cutter A	47.6	3.2	1080 10 0		7.94
Cutter B	47.6	4.0	1080 13 0		7.94
Cutter C	47.6	4.8	1080 16 0		7.94
Cutter D	47.6	6.3	1080 19 0		7.94



Recommended combination for varying cutting width. If intermediate cutting widths are required, shims are added or removed accordingly.

Spare Parts:



Arbor & Nut
#190 006 9
L=76



Ball Bearing
#191 013 0
8x22x7



Washer
#192 011 0
x15



Spacer
#192 011 0
1x16





Spacer
#192 013 0
0.5x16




Spacer
#192 100 0
0.1x16

Width mm	5.7	6	7	8	9	10	11	12	13	14	15	16	17	18
Cuttter	A	A	A	A	C	C	C	B	B	A	A	A	A	A
Shims		0.3	1.0	0.7	0.4	1.4	2.4	0.4	0.4	1.0	0.4	1.4	1.4	1.5
Cuttter	B	B	C	D	D	D	D	C	C	B	B	B	B	B
Shims								1.0	1.4	0.3	1.3	1.3	1.3	1.8
Cuttter								D	D	C	C	C	C	C
Shims										1.0	1.0	1.0	2.0	2.5
Cuttter										D	D	D	D	D




Adjustable Width Router

Type A



Type B




PAT. PEND. No. 149909IL




Adjustable Slotting System

- Easy and simple adjustment.
- Continuous width adjustment.
- Shorter setup time.
- Laser etched scale of 0.05mm.


Type	D	B	Code No.	L	t	d
A	50	3.0- 5.5	108 460 9	84.6	10.7	12
A	50	3.0- 5.5	108 460 5	78.5	10.7	8
B	50	5.5-10.0	108 465 9	88.9	10.7	12
B	50	5.5-10.0	108 465 5	82.8	10.7	8



Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Combi Joint Set



øD		Code No.	B	L	ød
47.6	Complete	1089 01 9	36	96	12
47.6	Cutters	1080 85 0	36		12

Spare Parts:



Delrin Set
#191 950 0
8x28x8.5



Delrin Set
#195 951 0
8x29x8.5



Delrin Set
#195 952 0
8x34x8.5



Arbor & Nut
#190 000 9
L=96



Washer
#192 011 0
8x15.9x1



Spacer
#192 029 0
5.3x16




Spacer
#192 013 0
0.5x16




Spacer
#192 100 0
0.1x16



Spacer
#192 050 0
0.05x16



Two Wings Finger Jointer Set



	øD	B	Code No.	L	ød
Complete	39.5	33.0	1089 00 9	96	12
Cutter A (x5)	39.5	1.85	1089 03 0		
Cutter B (x1)	39.1	5.50	1089 20 0		

⚠ Can be supplied with 1/2" shank.

Spare Parts:



Arbor & Nut
#190 040 9
L=96



Ball Bearing
#191 016 0
8x28x7



Washer
#192 011 0
8x16x1.0



Spacer
#192 016 0
6x16



Spacer
#192 020 0
3.4x16



Spacer
#192 011 0
1x16




Spacer
#192 013 0
0.5x16




Spacer
#192 100 0
0.1x16




Spacer
#192 050 0
0.05x16






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating






Carving



Corian



Lambs Tongue Sash Bar Set



øD		Code No.	B	L	ød
35	Complete	1330 20 9	47.0	96	12.0
35	Profile Cutter	1332 01 0	17.0		
35	Rebating Cutter	1332 04 0	22.0		

⚠ Can be supplied with 1/2" shank.

Spare Parts:



Arbor & Nut
#190 009 9
L=96



Ball Bearing
#191 013 0
8x22x7



Washer
#192 011 0
8x16x1.0



Spacer
#192 016 0
6x16



Spacer
#192 015 0
3x16




Spacer
#192 013 0
0.5x16




Spacer
#192 100 0
0.1x16




Spacer
#192 050 0
0.05x16




5.98



Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating






Carving



Corian



Tongue & Groove Cutter Set



øD	Code No.	B	L	ød
41	Complete	1434 01 5	19.0	70
		1434 01 9 *	19.0	76
	Components Groover (x2)	1434 04 0	6.35	76

Spare Parts:



Arbor & Nut
#190 004 5
L=70



Arbor & Nut *
#190 004 9
L=76.2



Ball Bearing
#191 013 0
8x22x7



Washer
#192 011 0
1x16




Spacer
#192 016 0
6x16






Spacer
#192 011 0
1x16



Spacer
#192 100 0
0.05x16



Tongue & Groove - Raised Panel Set



øD	Code No.	B	L	ød
41	Complete	1433 01 5	22.0	70
		1433 01 9 *	22.0	76
	Profile Groover	1431 21 0	11.0	
	Groove	1431 04 0	6.3	

Spare Parts:



Arbor & Nut
#190 004 5
L=70



Arbor & Nut *
#190 004 9
L=76



Ball Bearing
#191 013 0
8x22x7




Washer
#192 011 0
1x16




Spacer
#192 100 0
0.1x16




Spacer
#192 050 0
0.05x16






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating






Carving



Corian



Tongue & Groove Classic Set



	øD	B	Code No.	L	ød
Complete	46	22	1420 01 5	70.0	8
	46	22	1420 01 9 *	76.0	12
Profile Groover	46	15	1421 01 0		
Groover	46	4	1421 04 0		

Spare Parts:



Arbor & Nut
#190 004 5
L=70



Arbor & Nut *
#190 004 9
L=76



Ball Bearing
#191 013 0
8x22x7




Washer
#192 011 0
1x16






Spacer
#192 100 0
0.1x16



Spacer
#192 050 0
0.05x16



Tongue & Groove Flat Classic Set



	øD	B	Code No.	L	ød
Complete	41	22.0	1430 01 5	70.0	8
	41	22.0	1430 01 9 *	76.0	12
Profile Cutter	41	11.0	1431 01 0		
Groover	41	6.3	1431 04 0		

Spare Parts:



Arbor & Nut
#190 004 5
L=70



Arbor & Nut *
#190 004 9
L=76



Ball Bearing
#191 013 0
8x22x7




Washer
#192 011 0
1x16




Spacer
#192 100 0
0.1x16




Spacer
#192 050 0
0.05x16






Grooving
& Sizing




Profiling &
Chamfering




Jointing &
Rebating






Carving



Corian



Tongue & Groove Classic Set



	øD	B	Code No.	L	ød
Complete	41	22.0	1432 01 5	76.2	8
	41	22.0	1432 01 9 *	76.2	12
Profile Cutter	11	11.0	1431 11 0		
Groover	41	6.3	1431 04 0		

Spare Parts:



Arbor & Nut
#190 004 5
L=70



Arbor & Nut *
#190 004 9
L=76



Ball Bearing
#191 013 0
8x22x7




Washer
#192 011 0
1x16




Spacer
#192 100 0
0.1x16




Spacer
#192 050 0
0.05x16






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating






Carving



Corian



Tongue & Groove Classic Set



	øD	B	Code No.	L	ød
Complete	46	22.0	1440 01 5	70	8
	46	22.0	1440 01 9 *	76	12
Profile Cutter	46	15.0	1441 01 0		
Groover	46	4.0	1421 04 0		

Spare Parts:



Arbor & Nut
#190 004 5
L=70



Arbor & Nut *
#190 004 9
L=76



Ball Bearing
#191 013 0
8x22x7



Washer
#192 011 0
1x16






Spacer
#192 100 0
0.1x16



Spacer
#192 050 0
0.05x16



Tongue & Groove Classic Set



	øD	B	Code No.	L	ød
Complete			1450 04 9		
Cutter A	41.0	27.0	1451 04 9	84	12
Cutter B	41.0	27.0	1452 04 9	84	12
Cutter A					
Profile Cutter	40.0	10.7	1450 24 0		
Groover	22.5	7.3	1450 12 0		
Groover	41.0	10.2	1431 06 9		
Cutter B					
Profile Cutter	38.0	11.6	1450 14 0		
Groover	41.0	6.3	1431 14 0		
Groover	22.0	11.0	1450 22 0		
			1910 13 0		

Spare Parts:



Arbor & Nut
#190 013 9
L=84



Ball Bearing
#191 013 0
8x22x7




Washer
#192 011 0
1x16




Spacer
#192 100 0
0.1x16




Spacer
#192 050 0
0.05x16






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating





Carving



Corian



Tongue & Groove Classic Set



	øD	B	Code No.	L	ød
Complete			1450 03 9		
Cutter A	41.0	27.0	1451 03 9	84	12
Cutter B	41.0	27.0	1452 03 9	84	12
Cutter A					
Profile Cutter	40.0	10.7	1450 23 0		
Groover	22.5	7.3	1450 12 0		
Groover	41.0	10.2	1431 06 0		
Cutter B					
Profile Cutter	38.0	11.6	1450 13 0		
Groover	41.0	6.3	1431 14 0		
Groover	22.0	11.0	1450 22 0		

Spare Parts:



Arbor & Nut
#190 013 9
L=84



Ball Bearing
#191 013 0
8x22x7




Washer
#192 011 0
0.1x16






Spacer
#192 100 0
0.1x16



Spacer
#192 050 0
0.05x16



Tongue & Groove Classic Set



	øD	B	Code No.	L	ød
Complete			1450 02 9		
Cutter A	41.0	27.0	1451 02 9	84	12
Cutter B	41.0	27.0	1452 02 9	84	12
Cutter A					
Profile Cutter	41.0	10.9	1431 01 L		
Groover	22.0	7.3	1450 12 0		
Groover	41.0	10.2	1431 06 0		
Cutter B					
Profile Cutter	41.0	10.9	1431 31 0		
Groover	41.0	6.3	1431 14 0		
Groover	22.0	11.0	1450 22 0		

Spare Parts:



Arbor & Nut
#190 013 9
L=84



Ball Bearing
#191 013 0
8x22x7




Washer
#192 011 0
0.1x16




Spacer
#192 100 0
0.1x16




Spacer
#192 050 0
0.05x16






Grooving
& Sizing




Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



V Groove Bit - for Engraving Wood




øD	a	B	Code No.	L	ød
14	60°	22.2	1053 04 3 *	57	6
	60°	22.2	1053 04 5 *	57	8



* Solid Carbide
Can be supplied with 1/4" shank.




Solid Carbide Grooving and Engraving



øD	a	Code No.	B	L	ød
8	60°	so105 315 5	7	70	8



Solid Carbide Radius Grooving




øD	r	Code No.	B	L	ød
6	3	so106 304 3		60	6
8	4	so106 308 6		70	8
10	5	so106 309 7	13	80	10







NOVA Routing - Portable Machines



Grooving
& Sizing




Profiling &
Chamfering



Jointing &
Rebating



Carving



Corian

Index

Sawing




Cutting





Drilling



Routing




Drills For Router




øD	Code No.	L1	L	ød
25	2034 41 5	30	60	8
	2034 41 9	30	60	12
30	2034 46 5	30	60	8
	2034 46 9	30	60	12
35	2034 51 5	30	60	8
	2034 51 9	30	60	12

⚠ Can be supplied with 1/2" shank.




Specially designed drills for high rotation speed, suitable for covered board and natural wood.


NOVA Routing - Portable Machines



Grooving
& Sizing



Profiling &
Chamfering



Jointing &
Rebating



Carving



Corian

Index


Sawing




Cutting




















Drilling



Routing




												
#1250 p.107	#1014 p.108	#1540 p.107	#1014 p.108	#1072 p.109	#1031 p.110	#1510 p.109	#1612 p.111	#1040 p.110	#1612 p.110	#1520 p.111	#1530 p.112	#1530 p.111


														
#1530 p.112	#1130 p.112	#1550 p.113	#1553 p.113	#1550 p.113	#1554 p.114	#1564 p.114	#1564 p.115	#1062 p.115	#1590 p.116	#1592 p.116	#1594 p.116	#1621 p.117	#1600 p.117	#1084 p.118

Corian
For Fabricating Solid
Surface Materials






Grooving & Sizing




Profiling & Chamfering





Jointing & Rebating




Carving



Corian



Plunge Bit - Single Fluted



øD	B	Code No.	L	ød
----	---	----------	---	----

9.5

25.4



1250 22 9

70


12



Can be supplied with 1/2" shank.



Face Inlay Bit



øD	B	Code No.	A	L	ød	
22.2	3.2	1540 12 9	4.8	73	12	A
	3.2	1540 13 9	3.2	73	12	B
	3.2	1540 14 9	1.6	73	12	C
	6.35	1540 01 9	1.6	78	12	C
	6.35	1540 02 9	3.2	76	12	B
	6.35	1540 03 9	4.8	76	12	A
	9.5	1540 15 9	4.8	78	12	A
	9.5	1540 16 9	3.2	78	12	B
	9.5	1540 17 9	1.6	79	12	C
	12.7	1540 04 9	1.6	82	12	C
	12.7	1540 05 9	3.2	80	12	B
	12.7	1540 06 9	4.8	80	12	A
	13.5	1540 18 9	4.8	82	12	A
	13.5	1540 19 9	3.2	82	12	B
	13.5	1540 20 9	1.6	83	12	C
	19.0	1540 07 9	1.6	88	12	C
	19.0	1540 08 9	3.2	88	12	B
	19.0	1540 09 9	4.8	88	12	A



Can be supplied with 1/2" shank.

Spare Parts:





A. Ball Bearing
#191 003 0
12.7x6.3x4.7




B. Ball Bearing
#191 005 0
16x6.3x5




C. Ball Bearing
#191 014 0
19x6.3x7




With
Ball Bearing A




With
Ball Bearing B




With
Ball Bearing C



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Inlay Trimming Bit



øD	a	B	Code No.	L	ød	
19.0	5°	25.4	1014 15 9	80	12	A
19.6	5°	38.1	1014 20 9	84	12	B

⚠ Can be supplied with 1/2" shank.


Spare Parts:




A. Delrin set
#191 936 0
22.2x6.3x6.7x5°



B. Delrin set
#191 999 0
25.4x6.3x7x5°



Inlay Trimming Bit





øD	B	Code No.	L	ød
19	25.4	1014 16 9	80	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Delrin Set
#1919 340
19x6.3x6.3






Grooving
& Sizing



Profiling &
Chamfering






Jointing &
Rebating




Carving



Corian



Trimming Bit




øD	B	Code No.	L	ød
28.6	38.1	1072 39 9	92	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 018 0
12.7x28.6x8



Bevel Bit



øD	a	B	Code No.	L	ød	
32	12°	25.4	1510 04 9	80	12	A
39	12°	32.0	1510 10 9	78	12	B

⚠ Can be supplied with 1/2" shank.


Spare Parts:




A. Delrin set
#191 932 0
6.3x21.8x6.7x10°




B. Delrin set
#191 999 0
6.3x25.4x7x5°






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian




Bevel Bit




øD	a	B	Code No.	L	ød
----	---	---	----------	---	----

24	15°	25.4	1031 13 9	65	12
----	-----	------	-----------	----	----

⚠ Can be supplied with 1/2" shank.




Bevel Bit




øD	a	B	Code No.	L	ød
----	---	---	----------	---	----

25.4	14°	25.4	1040 25 9	69	12
------	-----	------	-----------	----	----

⚠ Can be supplied with 1/2" shank.



Undercut Bevel Bit



øD	a	B	Code No.	L	ød
----	---	---	----------	---	----


28.6	12°	26	1612 44 9	79.4	12
------	-----	----	-----------	------	----

⚠ Can be supplied with 1/2" shank.

Spare Parts:




Ball Bearing
#191 018 0
28.6x12.7x8







NOVA Routing - Portable Machines



Grooving
& Sizing



Profiling &
Chamfering



Jointing &
Rebating



Carving




Corian

Index

Sawing




Cutting




Drilling



Routing



Rounding Over Bowl Bit




øD	a	B	Code No.	R	L	ød
55	15°	25.4	1520 03 9	13	75	12.0
61	15°	32.0	1520 04 9	14	86	12.7

Spare Parts:




Delrin Set
#191 932 0

6.3x21.8x6.7x10°



Bevel Guided Bit



øD	a	B	Code No.	L	ød
28.6	12°	25.4	1612 24 9	77.8	12





Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 018 0
28.6x12.7x8



Undermount Bowl Bit



øD	a	B	Code No.	R	L	ød
45.2	17°	18.2	1530 05 9	9.5	63.5	12
51.0	17°	18.2	1530 06 9	12.7	63.5	12
54.0	17°	25.4	1530 07 9	12.7	71.5	12
57.0	17°	24.0	1530 08 9	19.0	76.0	12
60.5	12°	22.2	1530 09 9 *	14.2	69.0	12



Can be supplied with 1/2" shank.

Spare Parts:





Delrin Set
#191 936 5


6.3x22.2x6.3x10°




Delrin Set *
#191 999 0

6.3x25.4x6.7x5°






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Undermount Bowl Bit





øD	a	B	Code No.	R	L	ød
54	18°	25.4	1530 03 9	13	79	12
57	18°	32.0	1530 04 9	14	85	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Delrin Set
#191 932 0
6.3x21.8x6.7x10°



Roman Ogee Bit





øD	B	Code No.	R1	R2	L	ød
28.6	16	1130 1 09	3.2	4	63	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Delrin Set
#191 935 0
4.7x12.7x4.8



Undermount Bowl Bit





øD	a	B	Code No.	R1	R	L	ød
57	13°	24	1530 1 09	4	5	71	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Delrin Set
#191 999 0
6.3x25.4x7x5°






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Corner Rounding Bit





øD	R	B	Code No.	L	ød
28.6	8	13.5	1550 92 3	52	6
	8	13.5	1550 92 9	61	12

⚠ Can be supplied with 1/4" shank.
Can be supplied with 1/2" shank.


Spare Parts:



Delrin Set
#191 935 0
4.7x12.7x4.8





Corner Top Bit - No Drip




øD	B	Code No.	L	ød
25.4	12.7	1553 72 9	54	12

⚠ Can be supplied with 1/2" shank.



Corner Top Bit - No Drip





øD	R	B	Code No	B1	L	ød
25	8	23	1550 02 9	16	77	12
	8	29	1550 03 9	24	83	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Delrin Set
#191 934 0
6.3x19.05x6.5






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian



Bevel Hob Bit




øD	B	Code No.	L	ød
35	36	1564 10 9	89	12

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Ball Bearing
#191 005 0
16x6.3x5



Under Mount Profile Bowl Bit





øD	øD1	B	Code No.	a	L	ød
42	21.6	33	1554 10 9	10°	82.6	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Delrin Set
#191 932 0
6.3x21.8x6.7x10°






Grooving
& Sizing



Profiling &
Chamfering




Jointing &
Rebating




Carving



Corian





Upright Bit




øD	B	B1	Code No.	R	R1	L	ød
39	40	30	1564 01 9	6	3	78	12
	55	45	1564 05 9	6	3	93	12

⚠ Can be supplied with 1/2" shank.



Coving Bit




øD	B	Code No.	R	L	ød
28.6	12.7	1062 80 9	10	73	12


⚠ Can be supplied with 1/2" shank.

Spare Parts:




Delrin Set
#191 944 0
15x28.6x8.5






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Inverted (under-cut) Round Over Bit




øD	R	B	Code No.	L	ød	n
54.0	12.7	20.0	1592 03 9	73	12	
67.0	19.0	25.4	1592 06 9	77	12	18,000
79.4	25.4	30.7	1592 09 9	83	12	18,000

⚠ Can be supplied with 1/2" shank.

Spare Parts:




Delrin Set
#191 944 0
15x28.6x8.5



⚙ Max.
RPM

Round Over Bit





øD	R	B	Code No.	L	ød	n
38.1	12.7	19.0	1590 03 9	65	12	
51.0	19.0	25.4	1590 06 9	73	12	

⚠ Can be supplied with 1/2" shank.


Spare Parts:



Delrin Set
#191 935 0
4.7x12.7x4.8



Corner Rounding Bit with Radius Bearing



øD	R	B	Code No.	L	ød	Bearing	n
41.6	12.7	18.7	1594 01 9	68.4	12	A	18,000
54.2	19.0	25.0	1594 05 9	76.0	12	B	18,000
67.0	25.4	31.4	1594 10 9	82.0	12	C	18,000

Spare Parts:




A.Delrin Set
#191 996 0
6.3x21.4xR12.7




B.Delrin Set
#191 997 0
6.3x13.4xR119




C.Delrin Set
#191 998 0
6.3x18.5xR25.4




⚙ Max.
RPM



Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Edge Face Cove Bit




øD	R	B	Code No.	L	ød
25.4	7.9	16	1621 01 9	67	12


Spare Parts:




Delrin Set
#191 934 0
6.3x19.05x6.5




Six Wing Trimmer




øD	B	Code No.	L	ød
52	6.5	1600 05 9	83	12






Grooving
& Sizing



Profiling &
Chamfering





Jointing &
Rebating




Carving



Corian



Tongue & Groove - Jointing Set



	øD	B	Code No.	L	ød
Complete	47.7	10	1084 40 9	76.2	12
Cutter (x2)	47.7	4.0	1080 85 0		
Cutter	47.7	2.0	1080 75 0		

⚠ Can be supplied with 1/2" shank.

Spare Parts:



Arbor & Nut
#190 004 9
L=76.2



Delrin Set
#191 938 0
8x43x9.6



Delrin Set
#191 939 0
8x40.7x10.5



Spacer
#192 016 0
6x16



Spacer
#192 050 0
0.05x16



Spacer
#192 100 0
0.1x16



Spacer
#192 011 0
1x16





Spacer
#192 015 0
3x16




Spacer
#192 040 0
3.15x16




Spacer
#192 022 0
4.5x25




NOVA Routing - Portable Machines



Grooving
& Sizing




Profiling &
Chamfering



Jointing &
Rebating



Carving



Corian



Ball Bearing



Washer



Spring
Washer



screw



Lock Ring



Retaining
Ring

No.	d	D	B	d	D	d	d	D	B
001	1910 02 0						1930 02 0		
	1/8 1/4 7/64						NC2-7/32		
002	1910 01 0			1920 01 0		1950 04 0	1930 07 0		
	1/8 3/8 5/32			1/8 3/8		3/32	NC3-3/8		
003	1910 04 0			1920 04 0		1950 01 0	1930 01 0		
	3/16 3/8 1/8			3/16 5/16		1/8	NC5-3/8		
004	1910 07 0			1920 07 0		1950 01 0	1930 01 0		
	3/16 1/2 5.0			3/16 1/2		1/8	NC5-3/8		
005	1910 06 0			1920 10 0		1950 01 0	1930 04 0		
	3/16 5/8 5.0			5.0 16.0		1/8	NC5-1/2		
006	1910 15 0			1920 10 0		1950 01 0	1930 04 0		
	3/16 3/4 5.0			5.0 16.0		1/8	NC5-1/2		
007	1910 05 0			1920 04 0			1930 08 0		
	1/4 5/8 5.0			3/16 5/16			NF10-1/2		
008	1910 10 0			1920 10 0		1950 01 0	1930 01 0		
	5.0 16.0 5.0			5.0 16.0		1/8	NC5-3/8		
009	1910 14 0			1920 04 0			1930 08 0		
	1/4 3/4 9/32			3/16 5/16			NF10-1/2		
010	1910 14 0					1950 80 0	1930 08 0		
	1/4 3/4 9/32					3/16	NF10-1/2		
011	1910 03 0						1930 21 1	1970 11 0	
	1/4 1/2 3/16						NC5-40 L=2.5	1/4 11.0 5.0	
012	1910 05 0						1930 21 1	1970 11 0	
	1/4 5/8 5.0						NC5-40 L=2.5	1/4 11.0 5.0	
013	1910 14 0						1930 21 1	1970 11 0	
	1/4 3/4 9/32						NC5-40 L=2.5	1/4 11.0 5.0	
014	1910 20 0						1930 21 1	1970 50 0	
	1/2 3/4 5/32						NC5-40 L=2.5	1/2 18.2 6.0	
015	1910 13 0							1960 05 0	
	8.0 22.0 7.0							DIN 471-8	
016	1910 03 0			1920 32 0			1930 21 1	1970 11 0	
	1/4 1/2 3/16			1/4 7/16			NC5-40 L=2.5	1/4 11.0 5.0	
017	1910 17 0						1930 21 1	1970 16 0	
	10.0 26.0 8.0						NC5-40 L=2.5	3/8 16.0 5.0	
018	1910 19 0							1960 06 0	
	15.0 35.0 11.0							DIN 471-15	
019	1910 18 0						1930 21 1	1970 20 0	
	1/2 1 1/8 5/16						NC5-40 L=2.5	1/2 20.0 6.0	
020	1919 21 0						1930 21 1	1970 50 0	
	15.0 25.4 6.0						NC5-40 L=2.5	1/2 18.2 6.0	
021	1919 22 1						1930 21 1	1970 20 0	
	15.0 38.1 9.0						NC5-40 L=2.5	1/2 20.0 6.0	
022	1910 13 0						1930 21 1	1970 11 0	
	8.0 22.0 7.0						NC5-40 L=2.5	1/4 11.0 5.0	
023	1910 05 0							1960 05 0	
	1/4 5/8 5.0							DIN 471-8	
024	1919 22 0						1930 21 1		
	15.0 31.8 8.5								
025	1910 24 0			1920 04 0			1930 08 0		
	8.0 16.0 5.0			3/16 5/16			NF10-1/2		
026	1910 24 0							1960 05 0	
	8.0 16.0 5.0							DIN 471-8	
027	1910 31 0			1920 04 0			1930 08 0		
	8.0 14.0 4.0			3/16 5/16			NF10-1/2		
028	1910 19 0			1920 14 5				1960 06 0	
	15.0 35.0 11.0			15 30 1.0				DIN 471-15	

Index




Sawing



Cutting



Drilling



Routing

